

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Abbeville County, South Carolina	11	Ch	Chewacla loam	Poorly drained areas	3	Flood plains	Yes	2B2
Abbeville County, South Carolina	15	EnB	Enon sandy loam, 2 to 6 percent slopes	Iredell variant	3	Depressions	Yes	2B3
Abbeville County, South Carolina	25	IdB	Iredell fine sandy loam, 2 to 6 percent slopes	Iredell variant	3	Depressions	Yes	2B3
Abbeville County, South Carolina	26	IvA	Iredell variant loam, 0 to 2 percent slopes	Iredell variant	92	Depressions	Yes	2B3
Abbeville County, South Carolina	36	Tc	Toccoa sandy loam	Poorly drained areas	4	Flood plains	Yes	2B2
Allendale County, South Carolina	3	BaC	Blanton sand, 6 to 10 percent slopes	Coxville	2	Marine terraces	Yes	2B3
Allendale County, South Carolina	3	BaC	Blanton sand, 6 to 10 percent slopes	Rains	2	Marine terraces	Yes	2B3
Allendale County, South Carolina	6	BoB	Bonneau fine sand, 2 to 6 percent slopes	Coxville	2	Marine terraces	Yes	2B3
Allendale County, South Carolina	6	BoB	Bonneau fine sand, 2 to 6 percent slopes	Rains	2	Marine terraces	Yes	2B3
Allendale County, South Carolina	7	By	Byars loam, ponded	Byars	100	Marine terraces	Yes	2B3, 3
Allendale County, South Carolina	15	Cx	Coxville loam	Coxville	90	Marine terraces	Yes	2B3
Allendale County, South Carolina	15	Cx	Coxville loam	Rains	2	Marine terraces	Yes	2B3
Allendale County, South Carolina	20	EnA	Eulonia fine sandy loam, 0 to 2 percent slopes	Rains	2	Marine terraces	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydric rating	hydric criteria
Allendale County, South Carolina	20	EnA	Eulonia fine sandy loam, 0 to 2 percent slopes	Pelham	2	Marine terraces	Yes	2B2
Allendale County, South Carolina	21	EoA	Eunola loamy sand, 0 to 2 percent slopes	Ogeechee	3	Marine terraces	Yes	2B3
Allendale County, South Carolina	23	GoA	Goldsboro sandy loam, 0 to 2 percent slopes	Coxville	2	Marine terraces	Yes	2B3
Allendale County, South Carolina	23	GoA	Goldsboro sandy loam, 0 to 2 percent slopes	Rains	2	Marine terraces	Yes	2B3
Allendale County, South Carolina	23	GoA	Goldsboro sandy loam, 0 to 2 percent slopes	Pelham	2	Marine terraces	Yes	2B2
Allendale County, South Carolina	26	Ly	Lynchburg loamy sand	Coxville	2	Marine terraces	Yes	2B3
Allendale County, South Carolina	26	Ly	Lynchburg loamy sand	Rains	2	Marine terraces	Yes	2B3
Allendale County, South Carolina	28	NbB	Noboco loamy sand, 2 to 6 percent slopes	Coxville	2	Marine terraces	Yes	2B3
Allendale County, South Carolina	28	NbB	Noboco loamy sand, 2 to 6 percent slopes	Rains	2	Marine terraces	Yes	2B3
Allendale County, South Carolina	28	NbB	Noboco loamy sand, 2 to 6 percent slopes	Pelham	2	Marine terraces	Yes	2B2
Allendale County, South Carolina	30	NoB	Norfolk loamy sand, 2 to 6 percent slopes	Coxville	2	Marine terraces	Yes	2B3
Allendale County, South Carolina	30	NoB	Norfolk loamy sand, 2 to 6 percent slopes	Rains	2	Marine terraces	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Allendale County, South Carolina	30	NoB	Norfolk loamy sand, 2 to 6 percent slopes	Pelham	2	Marine terraces	Yes	2B2
Allendale County, South Carolina	31	OcA	Ocilla fine sand, 0 to 2 percent slopes	Rains	2	Marine terraces	Yes	2B3
Allendale County, South Carolina	31	OcA	Ocilla fine sand, 0 to 2 percent slopes	Pelham	2	Marine terraces	Yes	2B2
Allendale County, South Carolina	32	Og	Ogeechee loamy sand	Ogeechee	90	Marine terraces	Yes	2B3
Allendale County, South Carolina	32	Og	Ogeechee loamy sand	Rembert	2	Marine terraces	Yes	2B3, 3
Allendale County, South Carolina	36	Oy	Osier-Pickney complex, frequently flooded	Osier	75	Flood plains	Yes	2B2
Allendale County, South Carolina	36	Oy	Osier-Pickney complex, frequently flooded	Pickney	25	Flood plains	Yes	2B2, 3, 4
Allendale County, South Carolina	37	Pa	Pantego loam	Pantego	90	Marine terraces	Yes	2B3
Allendale County, South Carolina	37	Pa	Pantego loam	Coxville	2	Marine terraces	Yes	2B3
Allendale County, South Carolina	37	Pa	Pantego loam	Rains	2	Marine terraces	Yes	2B3
Allendale County, South Carolina	38	Pe	Pelham loamy sand	Pelham	90	Marine terraces	Yes	2B2
Allendale County, South Carolina	38	Pe	Pelham loamy sand	Coxville	2	Marine terraces	Yes	2B3
Allendale County, South Carolina	38	Pe	Pelham loamy sand	Rains	2	Marine terraces	Yes	2B3
Allendale County, South Carolina	39	Pk	Pickney loamy sand, frequently flooded	Pickney	100	Flood plains	Yes	2B2, 3, 4
Allendale County, South Carolina	40	Po	Ponzer muck, frequently flooded	Ponzer	100	Flood plains	Yes	1, 4

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydric rating	hydric criteria
Allendale County, South Carolina	41	Ra	Rains loamy fine sand	Rains	100	Marine terraces	Yes	2B3
Allendale County, South Carolina	42	Re	Rembert fine sandy loam	Rembert	100	Marine terraces	Yes	2B3, 3
Allendale County, South Carolina	43	Tc	Tawcaw-Chastain complex, frequently flooded	Tawcaw	55	Flood plains	Yes	4
Allendale County, South Carolina	43	Tc	Tawcaw-Chastain complex, frequently flooded	Chastain	45	Flood plains	Yes	2B3, 4
Allendale County, South Carolina	50	Wa	Wahee sandy loam	Ogeechee	2	Marine terraces	Yes	2B3
Allendale County, South Carolina	50	Wa	Wahee sandy loam	Rembert	2	Marine terraces	Yes	2B3, 3
Allendale County, South Carolina	51	Ye	Yemassee loamy sand	Ogeechee	2	Marine terraces	Yes	2B3
Anderson County, South Carolina	3	Ca	Cartecay-Chewacla complex	Wet spot	5	Flood plains	Yes	2B3
Anderson County, South Carolina	31	Tc	Toccoa-Cartecay complex	Wet spot	4	Flood plains	Yes	2B3
Bamberg County, South Carolina	14	ByA	Byars loam, 0 to 2 percent slopes	Byars	90	Marine terraces	Yes	2B3, 3
Bamberg County, South Carolina	15	CoA	Coxville fine sandy loam, 0 to 2 percent slopes	Coxville	90	Marine terraces	Yes	2B3
Bamberg County, South Carolina	17	EoA	Elloree loamy sand, 0 to 2 percent slopes, frequently flooded	Elloree	90	Flood plains	Yes	2B2, 4
Bamberg County, South Carolina	19	FsA	Fluvaquents-Osier-Grifton complex, 0 to 2 percent slopes, frequently flooded	Fluvaquents	30	Flood plains	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Bamberg County, South Carolina	19	FsA	Fluvaquents-Osier-Grifton complex, 0 to 2 percent slopes, frequently flooded	Osier	25	Flood plains	Yes	2B2
Bamberg County, South Carolina	19	FsA	Fluvaquents-Osier-Grifton complex, 0 to 2 percent slopes, frequently flooded	Grifton	15	Flood plains	Yes	2B3, 4
Bamberg County, South Carolina	22	GsA	Grifton-Osier complex, 0 to 2 percent slopes, frequently flooded	Grifton	45	Flood plains	Yes	2B3, 4
Bamberg County, South Carolina	22	GsA	Grifton-Osier complex, 0 to 2 percent slopes, frequently flooded	Osier	40	Flood plains	Yes	2B2
Bamberg County, South Carolina	23	HbA	Hobonny muck, 0 to 1 percent slopes, occasionally flooded	Hobonny	90	Flood plains	Yes	1, 3, 4
Bamberg County, South Carolina	25	JsA	Johnston sandy loam, 0 to 2 percent slopes, frequently flooded	Johnston	85	Flood plains	Yes	2B3, 3, 4
Bamberg County, South Carolina	27	LuA	Lumbee loam, 0 to 2 percent slopes, frequently flooded	Lumbee	85	Flood plains	Yes	2B3
Bamberg County, South Carolina	29	McA	McColl loam, 0 to 2 percent slopes	McColl	90	Depressions	Yes	2B3, 3
Bamberg County, South Carolina	30	MgA	Meggett fine sandy loam, 0 to 2 percent slopes, frequently flooded	Meggett	90	Marine terraces	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Bamberg County, South Carolina	44	OgA	Ogeechee loamy sand, 0 to 2 percent slopes	Ogeechee	90	Marine terraces	Yes	2B3
Bamberg County, South Carolina	47	OsA	Osier loamy sand, 0 to 2 percent slopes, frequently flooded	Osier	85	Flood plains	Yes	2B2
Bamberg County, South Carolina	48	PmA	Plummer loamy sand, 0 to 2 percent slopes	Plummer	85	Marine terraces	Yes	2B2
Bamberg County, South Carolina	49	RaA	Rains fine sandy loam, 0 to 2 percent slopes	Rains	90	Marine terraces	Yes	2B3
Bamberg County, South Carolina	50	RmA	Rembert sandy loam, 0 to 2 percent slopes	Rembert	90	Marine terraces	Yes	2B3, 3
Beaufort County, South Carolina	0	Ae	Argent fine sandy loam	Argent	100	Marine terraces	Yes	2B3
Beaufort County, South Carolina	1	Ag	Argent clay loam	Argent	100	Marine terraces	Yes	2B3
Beaufort County, South Carolina	2	AN	Argent association	Argent	100	Marine terraces	Yes	2B3
Beaufort County, South Carolina	3	Ba	Baratari fine sand	Leon	100	Marine terraces	Yes	2B3
Beaufort County, South Carolina	5	Bd	Bladen fine sandy loam	Bladen	100	Marine terraces	Yes	2B3
Beaufort County, South Carolina	7	BK	Bohicket association	Bohicket	100	Marshes	Yes	2B3, 3
Beaufort County, South Carolina	9	Ca	Cape Fear loam	Cape Fear	100	Flood plains	Yes	2B3
Beaufort County, South Carolina	10	CE	Capers association	Capers	100	Marshes	Yes	2B3, 3
Beaufort County, South Carolina	12	Co	Coastal beaches	Beaches	100	Beaches	Yes	3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Beaufort County, South Carolina	14	De	Deloss fine sandy loam	Hobcaw	100	Marine terraces	Yes	2B3
Beaufort County, South Carolina	17	Fb	Fripp-Baratari complex	Leon	34	Marine terraces	Yes	2B3
Beaufort County, South Carolina	17	Fb	Fripp-Baratari complex	Bohicket	3	Marshes	Yes	2B3, 3
Beaufort County, South Carolina	17	Fb	Fripp-Baratari complex	Capers	3	Marshes	Yes	2B3, 3
Beaufort County, South Carolina	19	HA	Handsboro soils	Handsboro	100	Marshes	Yes	1, 3, 4
Beaufort County, South Carolina	20	HB	Hobonny soil	Hobonny	100	Flood plains	Yes	1, 3, 4
Beaufort County, South Carolina	21	LE	Levy soils	Levy	100	Flood plains	Yes	2B3, 3, 4
Beaufort County, South Carolina	26	Oe	Okeetee fine sandy loam	Argent	4	Marine terraces	Yes	2B3
Beaufort County, South Carolina	28	Os	Osier loamy sand	Osier	100	Marine terraces	Yes	2B2
Beaufort County, South Carolina	29	Pk	Pickney loamy fine sand	Pickney	100	Flood plains	Yes	2B2, 3
Beaufort County, South Carolina	30	Po	Polawana loamy fine sand	Pickney	100	Flood plains	Yes	2B2, 3, 4
Beaufort County, South Carolina	32	Ro	Rosedhu fine sand	Lynn Haven	100	Marine terraces	Yes	2B1, 2B2
Beaufort County, South Carolina	33	Sa	Santee fine sandy loam	Santee	100	Marine terraces	Yes	2B3, 3
Beaufort County, South Carolina	34	SE	Santee association	Santee	100	Marine terraces	Yes	2B3, 3
Beaufort County, South Carolina	35	Sk	Seabrook fine sand	Pickney	4	Flood plains	Yes	2B2, 3, 4
Beaufort County, South Carolina	36	Sw	Seewee fine sand	Pickney	5	Flood plains	Yes	2B2, 3, 4
Beaufort County, South Carolina	37	To	Tomotley loamy fine sand	Ogeechee	100	Marine terraces	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Beaufort County, South Carolina	41	Wa	Wahee fine sandy loam	Bladen	4	Marine terraces	Yes	2B3
Beaufort County, South Carolina	43	Wn	Williman loamy fine sand	Williman	100	Marine terraces	Yes	2B3
Beaufort County, South Carolina	44	Ye	Yemassee loamy fine sand	Williman	2	Marine terraces	Yes	2B3
Beaufort County, South Carolina	44	Ye	Yemassee loamy fine sand	Ogeechee	2	Marine terraces	Yes	2B3
Beaufort County, South Carolina	45	Yo	Yonges loamy fine sand	Yonges	100	Marine terraces	Yes	2B3
Berkeley County, South Carolina	0	AU	Aquic Udifluents	Udifluents	100	Depressions, Flood plains	Yes	2B2
Berkeley County, South Carolina	1	Ba	Bayboro loam	Byars	95	Depressions	Yes	2B3, 3
Berkeley County, South Carolina	1	Ba	Bayboro loam	Coxville	2	Depressions, Marine terraces	Yes	2B3
Berkeley County, South Carolina	2	Be	Bethera loam	Coxville	95	Depressions, Marine terraces	Yes	2B3
Berkeley County, South Carolina	2	Be	Bethera loam	Rains	2	Depressions, Marine terraces	Yes	2B3
Berkeley County, South Carolina	3	BH	Bohicket association	Bohicket	100	Marshes	Yes	2B3, 3
Berkeley County, South Carolina	6	Bp	Borrow pits	Haplaquents	100	Depressions, Marine terraces	Yes	2B1, 2B2
Berkeley County, South Carolina	7	By	Byars loam	Byars	95	Depressions, Marine terraces	Yes	2B3, 3
Berkeley County, South Carolina	7	By	Byars loam	Coxville	2	Depressions, Marine terraces	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Berkeley County, South Carolina	11	CP	Capers association	Capers	100	Marshes	Yes	2B3, 3
Berkeley County, South Carolina	12	CS	Chastain association, frequently flooded	Chastain	95	Flood plains	Yes	2B3
Berkeley County, South Carolina	12	CS	Chastain association, frequently flooded	Tawcaw	2	Flood plains	Yes	2B1, 3, 4
Berkeley County, South Carolina	13	Ct	Chiple-Echaw complex	Leon	2	Depressions, Marine terraces	Yes	2B2
Berkeley County, South Carolina	14	Cu	Coxville fine sandy loam	Coxville	95	Depressions, Marine terraces	Yes	2B3
Berkeley County, South Carolina	14	Cu	Coxville fine sandy loam	Rains	2	Depressions, Marine terraces	Yes	2B3
Berkeley County, South Carolina	15	CvA	Craven loam, 0 to 2 percent slopes	Rains	2	Depressions, Marine terraces	Yes	2B3
Berkeley County, South Carolina	16	CvB	Craven loam, 2 to 6 percent slopes	Rains	1	Depressions, Marine terraces	Yes	2B3
Berkeley County, South Carolina	17	DuA	Duplin fine sandy loam, 0 to 2 percent slopes	Rains	2	Depressions, Marine terraces	Yes	2B3
Berkeley County, South Carolina	18	DuB	Duplin fine sandy loam, 2 to 6 percent slopes	Rains	1	Depressions, Marine terraces	Yes	2B3
Berkeley County, South Carolina	19	GoA	Goldsboro loamy sand, 0 to 2 percent slopes	Rains	2	Depressions, Marine terraces	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Berkeley County, South Carolina	20	Le	Lenoir fine sandy loam	Coxville		Depressions, Marine terraces	Yes	2B3
Berkeley County, South Carolina	21	Lo	Leon fine sand	Leon	100	Depressions, Marine terraces	Yes	2B2
Berkeley County, South Carolina	23	Ly	Lynchburg fine sandy loam	Coxville	2	Depressions, Marine terraces	Yes	2B3
Berkeley County, South Carolina	23	Ly	Lynchburg fine sandy loam	Rains	2	Depressions, Marine terraces	Yes	2B3
Berkeley County, South Carolina	24	Mg	Meggett loam	Meggett	100	Flood plains	Yes	2B3
Berkeley County, South Carolina	25	Mp	Meggett clay loam	Meggett	100	Flood plains	Yes	2B3
Berkeley County, South Carolina	29	Pa	Pamlico muck	Pamlico	100	Flood plains	Yes	1
Berkeley County, South Carolina	30	Pe	Pantego fine sandy loam	Pantego	95	Depressions, Marine terraces	Yes	2B3
Berkeley County, South Carolina	30	Pe	Pantego fine sandy loam	Rains	2	Depressions, Marine terraces	Yes	2B3
Berkeley County, South Carolina	31	Pk	Pickney loamy fine sand	Pickney	100	Flood plains	Yes	2B2, 3
Berkeley County, South Carolina	32	Ra	Rains fine sandy loam	Rains	95	Depressions, Marine terraces	Yes	2B3
Berkeley County, South Carolina	32	Ra	Rains fine sandy loam	Coxville	2	Depressions, Marine terraces	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Berkeley County, South Carolina	33	Sa	Santee loam	Brookman	100	Depressions, Marine terraces	Yes	2B3
Berkeley County, South Carolina	34	Se	Seagate loamy sand	Rains	2	Depressions, Marine terraces	Yes	2B3
Berkeley County, South Carolina	34	Se	Seagate loamy sand	Leon	2	Depressions, Marine terraces	Yes	2B2
Berkeley County, South Carolina	35	TA	Tawcaw association, frequently flooded	Tawcaw	95	Flood plains	Yes	2B1, 3, 4
Berkeley County, South Carolina	35	TA	Tawcaw association, frequently flooded	Chastain	2	Flood plains	Yes	2B3
Berkeley County, South Carolina	38	Wa	Wahee loam	Mouzon	2	Flood plains	Yes	2B3
Berkeley County, South Carolina	38	Wa	Wahee loam	Coxville	2	Depressions, Marine terraces	Yes	2B3
Berkeley County, South Carolina	39	Wt	Witherbee fine sand	Leon	2	Depressions, Marine terraces	Yes	2B2
Berkeley County, South Carolina	39	Wt	Witherbee fine sand	Pamlico	2	Flood plains	Yes	1
Berkeley County, South Carolina	39	Wt	Witherbee fine sand	Pickney	2	Flood plains	Yes	2B2, 3
Calhoun County, South Carolina	7	Ce	Chenneby silt loam, occasionally flooded	Mullers	1	Flood plains	Yes	4
Calhoun County, South Carolina	8	Co	Congaree loam, occasionally flooded	Mullers	1	Flood plains	Yes	4

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydric rating	hydric criteria
Calhoun County, South Carolina	9	Cx	Coxville sandy loam	Coxville	90	Marine terraces	Yes	2B3
Calhoun County, South Carolina	9	Cx	Coxville sandy loam	Rains	5	Marine terraces	Yes	2B3
Calhoun County, South Carolina	17	GoA	Goldsboro loamy sand, 0 to 2 percent slopes	Rains	2	Marine terraces	Yes	2B3
Calhoun County, South Carolina	17	GoA	Goldsboro loamy sand, 0 to 2 percent slopes	Coxville	1	Marine terraces	Yes	2B3
Calhoun County, South Carolina	21	Gt	Grifton and Ellore soils, frequently flooded	Grifton	50	Flood plains	Yes	2B3, 4
Calhoun County, South Carolina	21	Gt	Grifton and Ellore soils, frequently flooded	Ellore	30	Flood plains	Yes	2B2, 4
Calhoun County, South Carolina	21	Gt	Grifton and Ellore soils, frequently flooded	Johnston	10	Flood plains	Yes	2B3, 3, 4
Calhoun County, South Carolina	21	Gt	Grifton and Ellore soils, frequently flooded	Ogeechee	10	Marine terraces	Yes	2B3
Calhoun County, South Carolina	22	Jo	Johnston fine sandy loam, frequently flooded	Johnston	90	Flood plains	Yes	2B3, 3, 4
Calhoun County, South Carolina	22	Jo	Johnston fine sandy loam, frequently flooded	Totness	3	Flood plains	Yes	2B2, 4
Calhoun County, South Carolina	22	Jo	Johnston fine sandy loam, frequently flooded	Ogeechee	2	Marine terraces	Yes	2B3
Calhoun County, South Carolina	24	Ly	Lynchburg loamy sand	Rains	6	Marine terraces	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Calhoun County, South Carolina	24	Ly	Lynchburg loamy sand	Coxville	1	Marine terraces	Yes	2B3
Calhoun County, South Carolina	25	Mu	Mullers silty clay loam, frequently flooded	Mullers	85	Flood plains	Yes	4
Calhoun County, South Carolina	25	Mu	Mullers silty clay loam, frequently flooded	Ogeechee	3	Marine terraces	Yes	2B3
Calhoun County, South Carolina	30	Og	Ogeechee loamy sand	Ogeechee	90	Marine terraces	Yes	2B3
Calhoun County, South Carolina	30	Og	Ogeechee loamy sand	Rains	2	Marine terraces	Yes	2B3
Calhoun County, South Carolina	34	Pa	Paxville loam	Paxville	90	Stream terraces	Yes	2B3, 3
Calhoun County, South Carolina	34	Pa	Paxville loam	Mullers	3	Flood plains	Yes	4
Calhoun County, South Carolina	34	Pa	Paxville loam	Ogeechee	1	Marine terraces	Yes	2B3
Calhoun County, South Carolina	38	Ra	Rains sandy loam	Rains	90	Marine terraces	Yes	2B3
Calhoun County, South Carolina	38	Ra	Rains sandy loam	Coxville	5	Marine terraces	Yes	2B3
Calhoun County, South Carolina	41	To	Totness loamy coarse sand, frequently flooded	Totness	80	Flood plains	Yes	2B2, 4
Calhoun County, South Carolina	41	To	Totness loamy coarse sand, frequently flooded	Rains	8	Marine terraces	Yes	2B3
Calhoun County, South Carolina	41	To	Totness loamy coarse sand, frequently flooded	Johnston	3	Flood plains	Yes	2B3, 3, 4
Calhoun County, South Carolina	41	To	Totness loamy coarse sand, frequently flooded	Ogeechee	9	Marine terraces	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Cherokee County, South Carolina	22	Ch	Chewacla silt loam	Wehadkee	3	Flood plains	Yes	2B3
Cherokee County, South Carolina	79	Mv	Mixed alluvial land	Wehadkee	3	Flood plains	Yes	2B3
Cherokee County, South Carolina	80	Mw	Mixed wet alluvial land	Wehadkee	100	Flood plains	Yes	2B3
Cherokee County, South Carolina	88	Rw	Riverwash	Wehadkee	3	Flood plains	Yes	2B3
Chester County, South Carolina	2	Ar	Armenia loam	Armenia	100	Flood plains	Yes	2B3
Chester County, South Carolina	9	Cw	Chewacla loam	Chewacla	95	Flood plains	Yes	4
Chester County, South Carolina	9	Cw	Chewacla loam	Poorly drained areas	5	Flood plains	Yes	2B3, 4
Chester County, South Carolina	25	To	Toccoa loam	Poorly drained areas	5	Flood plains	Yes	2B3, 4
Chesterfield County, South Carolina	0	AaA	Ailey sand, moderately wet, 0 to 2 percent slopes	Ogeechee	2	Stream terraces	Yes	2B3
Chesterfield County, South Carolina	1	AaB	Ailey sand, moderately wet, 2 to 6 percent slopes	Johnston	2	Flood plains	Yes	2B3, 3, 4
Chesterfield County, South Carolina	2	AeC	Ailey sand, 6 to 10 percent slopes	Johnston	2	Flood plains	Yes	2B3, 3, 4
Chesterfield County, South Carolina	3	AeD	Ailey sand, 10 to 15 percent slopes	Johnston	2	Flood plains	Yes	2B3, 3, 4
Chesterfield County, South Carolina	6	ApB	Alpin sand, 0 to 6 percent slopes	Johnston	2	Flood plains	Yes	2B3, 3, 4
Chesterfield County, South Carolina	7	ApC	Alpin sand, 6 to 10 percent slopes	Johnston	2	Flood plains	Yes	2B3, 3, 4
Chesterfield County, South Carolina	8	ApD	Alpin sand, 10 to 15 percent slopes	Johnston	2	Flood plains	Yes	2B3, 3, 4

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Chesterfield County, South Carolina	15	Bf	Bibb sandy loam, frequently flooded	Bibb	95	Flood plains	Yes	2B3, 4
Chesterfield County, South Carolina	17	CaB	Candor sand, 0 to 6 percent slopes	Johnston	2	Flood plains	Yes	2B3, 3, 4
Chesterfield County, South Carolina	18	CaC	Candor sand, 6 to 10 percent slopes	Johnston	2	Flood plains	Yes	2B3, 3, 4
Chesterfield County, South Carolina	19	CaD	Candor sand, 10 to 15 percent slopes	Johnston	2	Flood plains	Yes	2B3, 3, 4
Chesterfield County, South Carolina	23	Ch	Chewacla clay loam, frequently flooded	Chastain	10	Flood plains	Yes	2B3, 4
Chesterfield County, South Carolina	24	Cm	Chewacla-Chastain complex, frequently flooded	Chewacla	60	Flood plains	Yes	4
Chesterfield County, South Carolina	24	Cm	Chewacla-Chastain complex, frequently flooded	Chastain	35	Flood plains	Yes	2B3, 4
Chesterfield County, South Carolina	27	Cx	Coxville sandy loam	Coxville	95	Flats	Yes	2B3
Chesterfield County, South Carolina	28	EmA	Emporia loamy sand, 0 to 2 percent slopes	Ogeechee	2	Stream terraces	Yes	2B3
Chesterfield County, South Carolina	29	EmB	Emporia loamy sand, 2 to 6 percent slopes	Ogeechee	2	Stream terraces	Yes	2B3
Chesterfield County, South Carolina	35	GoA	Goldsboro sandy loam, 0 to 2 percent slopes	Coxville	2	Flats	Yes	2B3
Chesterfield County, South Carolina	35	GoA	Goldsboro sandy loam, 0 to 2 percent slopes	Woodington	2	Flats	Yes	2B3
Chesterfield County, South Carolina	42	Jo	Johnston sandy loam, frequently flooded	Johnston	90	Flood plains	Yes	2B3, 3, 4

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Chesterfield County, South Carolina	47	NoA	Noboco loamy sand, 0 to 2 percent slopes	Woodington	2	Flats	Yes	2B3
Chesterfield County, South Carolina	48	Og	Ogeechee sandy loam	Ogeechee	95	Stream terraces	Yes	2B3
Chesterfield County, South Carolina	53	PIA	Pelion loamy sand, 0 to 2 percent slopes	Ogeechee	2	Stream terraces	Yes	2B3
Chesterfield County, South Carolina	54	PIB	Pelion loamy sand, 2 to 6 percent slopes	Ogeechee	2	Stream terraces	Yes	2B3
Chesterfield County, South Carolina	55	PIC	Pelion loamy sand, 6 to 10 percent slopes	Ogeechee	2	Stream terraces	Yes	2B3
Chesterfield County, South Carolina	56	PID	Pelion loamy sand, 10 to 15 percent slopes	Ogeechee	2	Stream terraces	Yes	2B3
Chesterfield County, South Carolina	63	Sm	Smithboro loam	Ogeechee	2	Stream terraces	Yes	2B3
Chesterfield County, South Carolina	63	Sm	Smithboro loam	Coxville	2	Flats	Yes	2B3
Chesterfield County, South Carolina	64	TeA	Tetotum sandy loam, 0 to 2 percent slopes	Ogeechee	2	Stream terraces	Yes	2B3
Chesterfield County, South Carolina	65	TeB	Tetotum sandy loam, 2 to 6 percent slopes	Ogeechee	2	Stream terraces	Yes	2B3
Chesterfield County, South Carolina	69	VaB	Vaucluse loamy sand, 2 to 6 percent slopes	Johnston	2	Flood plains	Yes	2B3, 3, 4
Chesterfield County, South Carolina	70	VaC	Vaucluse loamy sand, 6 to 10 percent slopes	Johnston	2	Flood plains	Yes	2B3, 3, 4

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Chesterfield County, South Carolina	71	VaD	Vaucluse loamy sand, 10 to 15 percent slopes	Johnston	2	Flood plains	Yes	2B3, 3, 4
Chesterfield County, South Carolina	73	VgC	Vaucluse gravelly loamy sand, 6 to 10 percent slopes	Johnston	2	Flood plains	Yes	2B3, 3, 4
Chesterfield County, South Carolina	74	VgD	Vaucluse gravelly loamy sand, 10 to 15 percent slopes	Johnston	2	Flood plains	Yes	2B3, 3, 4
Chesterfield County, South Carolina	76	Wa	Wahee silt loam	Ogeechee	2	Stream terraces	Yes	2B3
Chesterfield County, South Carolina	76	Wa	Wahee silt loam	Coxville	2	Flats	Yes	2B3
Chesterfield County, South Carolina	79	Wo	Woodington sandy loam	Woodington	95	Flats	Yes	2B3
Clarendon County, South Carolina	2	Ca	Cantey loam	Cantey	100	Marine terraces	Yes	2B3
Clarendon County, South Carolina	3	Cd	Clarendon loamy sand	Rains	2	Marine terraces	Yes	2B3
Clarendon County, South Carolina	8	Fo	Foreston fine sand	Rains	2	Marine terraces	Yes	2B3
Clarendon County, South Carolina	11	Gr	Grady loam	Grady	100	Marine terraces	Yes	2B3
Clarendon County, South Carolina	12	JS	Johnston soils	Johnston	100	Flood plains	Yes	2B3, 3, 4
Clarendon County, South Carolina	14	Ly	Lynchburg loamy sand	Rains	2	Marine terraces	Yes	2B3
Clarendon County, South Carolina	17	Mc	McColl loam	McColl	100	Marine terraces	Yes	2B3, 3
Clarendon County, South Carolina	18	Oc	Ocilla loamy sand	Rains	2	Marine terraces	Yes	2B3
Clarendon County, South Carolina	21	Os	Osier loamy fine sand	Osier	100	Drainageways	Yes	2B2, 3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Clarendon County, South Carolina	22	Pa	Paxville loam	Paxville	100	Flood plains	Yes	2B3, 3
Clarendon County, South Carolina	23	PeA	Persanti very fine sandy loam, 0 to 2 percent slopes	Cantey	2	Marine terraces	Yes	2B3
Clarendon County, South Carolina	24	Po	Ponzer mucky loam	Ponzer	100	Flood plains	Yes	1
Clarendon County, South Carolina	25	PT	Portsmouth-Johnston association	Hobcaw	60	Flood plains	Yes	2B3, 3, 4
Clarendon County, South Carolina	25	PT	Portsmouth-Johnston association	Johnston	40	Flood plains	Yes	2B3, 3, 4
Clarendon County, South Carolina	26	Ra	Rains sandy loam	Rains	100	Marine terraces	Yes	2B3
Clarendon County, South Carolina	30	Ru	Rutlege loamy fine sand	Rutlege	100	Flood plains	Yes	2B2, 3
Clarendon County, South Carolina	31	Sc	Scranton fine sand	Osier	2	Drainageways	Yes	2B2, 3
Clarendon County, South Carolina	31	Sc	Scranton fine sand	Rutlege	1	Flood plains	Yes	2B2, 3
Clarendon County, South Carolina	34	TA	Tawcaw soils	Tawcaw	100	Flood plains	Yes	4
Colleton County, South Carolina	0	7	Beaches	Beaches	100	Beaches	Yes	4
Colleton County, South Carolina	1	9B	Fripp-Leon complex, 0 to 6 percent slopes	Bohicket	3	Marshes	Yes	2B3, 3
Colleton County, South Carolina	1	9B	Fripp-Leon complex, 0 to 6 percent slopes	Capers	2	Marshes	Yes	2B3, 3
Colleton County, South Carolina	3	11	Argent loam	Argent	85	Depressions	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Colleton County, South Carolina	4	13	Bladen fine sandy loam	Bladen	80	Depressions	Yes	2B3
Colleton County, South Carolina	6	15	Bohicket association	Bohicket	65	Marshes	Yes	2B3, 3
Colleton County, South Carolina	10	19	Cape Fear loam	Cape Fear	80	Depressions	Yes	2B3
Colleton County, South Carolina	11	20	Capers association	Capers	70	Marshes	Yes	2B3, 3
Colleton County, South Carolina	12	21	Chipley fine sand, 0 to 2 percent slopes	Rains	2	Depressions	Yes	2B3
Colleton County, South Carolina	14	24	Coosaw loamy fine sand	Rains	3	Depressions	Yes	2B3
Colleton County, South Carolina	15	25	Coxville fine sandy loam	Coxville	85	Depressions	Yes	2B3
Colleton County, South Carolina	16	27	Hobcaw fine sandy loam	Hobcaw	80	Depressions	Yes	2B3, 3
Colleton County, South Carolina	17	28	Dunbar fine sandy loam	Paxville	1	Depressions	Yes	2B3, 3
Colleton County, South Carolina	17	28	Dunbar fine sandy loam	Pelham	1	Depressions	Yes	2B2
Colleton County, South Carolina	17	28	Dunbar fine sandy loam	Rains	1	Depressions	Yes	2B3
Colleton County, South Carolina	18	30	Echaw loamy fine sand	Leon	2	Depressions	Yes	2B3
Colleton County, South Carolina	18	30	Echaw loamy fine sand	Rains	1	Depressions	Yes	2B3
Colleton County, South Carolina	20	35	Wadmalaw variant loamy sand	Wadmalaw	90	Depressions	Yes	2B3
Colleton County, South Carolina	21	36	Goldsboro loamy fine sand	Coxville	1	Depressions	Yes	2B3
Colleton County, South Carolina	21	36	Goldsboro loamy fine sand	Rains	1	Depressions	Yes	2B3
Colleton County, South Carolina	21	36	Goldsboro loamy fine sand	Rains	1	Depressions	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Colleton County, South Carolina	22	37	Handsboro muck	Handsboro	80	Marshes	Yes	1, 3
Colleton County, South Carolina	23	38	Pungo muck	Pungo	80	Depressions	Yes	1
Colleton County, South Carolina	24	40	Leon sand	Leon	80	Depressions	Yes	2B3
Colleton County, South Carolina	25	41	Lynchburg loamy fine sand	Pelham	2	Depressions	Yes	2B2
Colleton County, South Carolina	25	41	Lynchburg loamy fine sand	Coxville	1	Depressions	Yes	2B3
Colleton County, South Carolina	25	41	Lynchburg loamy fine sand	Rains	1	Depressions	Yes	2B3
Colleton County, South Carolina	26	42	Lynn Haven fine sand	Lynn Haven	85	Depressions	Yes	2B1
Colleton County, South Carolina	27	43A	Nemours fine sandy loam, 0 to 2 percent slopes	Bladen	2	Depressions	Yes	2B3
Colleton County, South Carolina	27	43A	Nemours fine sandy loam, 0 to 2 percent slopes	Rains	1	Depressions	Yes	2B3
Colleton County, South Carolina	28	43B	Nemours fine sandy loam, 2 to 6 percent slopes	Rains	3	Depressions	Yes	2B3
Colleton County, South Carolina	32	46	Ogeechee loamy fine sand	Ogeechee	85	Depressions	Yes	2B3
Colleton County, South Carolina	33	47	Okeetee fine sandy loam	Argent	2	Depressions	Yes	2B3
Colleton County, South Carolina	33	47	Okeetee fine sandy loam	Santee	2	Depressions	Yes	2B3, 3
Colleton County, South Carolina	34	49	Osier loamy sand	Osier	85	Depressions	Yes	2B2
Colleton County, South Carolina	35	50	Paxville fine sandy loam	Paxville	85	Depressions	Yes	2B3, 3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Colleton County, South Carolina	36	51	Pelham loamy sand	Pelham	85	Depressions	Yes	2B2
Colleton County, South Carolina	37	52	Pickney loamy sand	Pickney	80	Depressions	Yes	2B2, 3
Colleton County, South Carolina	38	53	Plummer loamy sand	Plummer	85	Depressions	Yes	2B3, 3
Colleton County, South Carolina	39	55	Rains sandy loam	Rains	80	Depressions	Yes	2B3
Colleton County, South Carolina	40	57	Santee loam	Santee	90	Depressions	Yes	2B3, 3
Colleton County, South Carolina	42	59	Seagate fine sand	Leon	3	Depressions	Yes	2B3
Colleton County, South Carolina	44	64	Wahee fine sandy loam	Bladen	2	Depressions	Yes	2B3
Colleton County, South Carolina	44	64	Wahee fine sandy loam	Cape Fear	2	Depressions	Yes	2B3
Colleton County, South Carolina	46	66	Williman loamy fine sand	Williman	80	Depressions	Yes	2B3
Colleton County, South Carolina	47	68	Yemassee loamy fine sand	Williman	3	Depressions	Yes	2B3
Colleton County, South Carolina	48	69	Murad loamy fine sand	Williman	3	Depressions	Yes	2B3
Colleton County, South Carolina	49	70	Levy mucky silty clay loam	Levy	70	Flood plains	Yes	2B3, 3
Colleton County, South Carolina	50	71	Haplaquents, loamy	Haplaquents	85	Depressions	Yes	2B1, 2B2
Colleton County, South Carolina	51	73	Torhunta-Osier association	Osier	30	Depressions	Yes	2B2
Colleton County, South Carolina	51	73	Torhunta-Osier association	Torhunta	50	Flood plains	Yes	2B3
Darlington County, South Carolina	0	AaB	Ailey sand, moderately wet, 0 to 6 percent slopes	Johnston		Drainageways, Flood plains	Yes	2B3, 3, 4

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Darlington County, South Carolina	1	AeC	Ailey sand, 6 to 10 percent slopes	Johnston		2 Drainageways, Flood plains	Yes	2B3, 3, 4
Darlington County, South Carolina	2	AeD	Ailey sand, 10 to 15 percent slopes	Johnston		2 Drainageways, Flood plains	Yes	2B3, 3, 4
Darlington County, South Carolina	3	ApB	Alpin sand, 0 to 6 percent slopes	Johnston		2 Drainageways, Flood plains	Yes	2B3, 3, 4
Darlington County, South Carolina	4	ApC	Alpin sand, 6 to 10 percent slopes	Johnston		15 Drainageways, Flood plains	Yes	2B3, 3, 4
Darlington County, South Carolina	5	ApD	Alpin sand, 10 to 15 percent slopes	Johnston		15 Drainageways, Flood plains	Yes	2B3, 3, 4
Darlington County, South Carolina	7	BfA	Bibb sandy loam, 0 to 2 percent slopes, frequently flooded	Bibb		100 Flood plains	Yes	2B3, 4
Darlington County, South Carolina	8	BnB	Blanton sand, 0 to 6 percent slopes	Johnston		2 Drainageways, Flood plains	Yes	2B3, 3, 4
Darlington County, South Carolina	9	BoB	Bonneau sand, 0 to 6 percent slopes	Coxville		3 Depressions, Flats	Yes	2B3
Darlington County, South Carolina	9	BoB	Bonneau sand, 0 to 6 percent slopes	Rains		2 Depressions, Flats	Yes	2B3
Darlington County, South Carolina	10	CaB	Candor sand, 0 to 6 percent slopes	Johnston		2 Drainageways, Flood plains	Yes	2B3, 3, 4
Darlington County, South Carolina	11	CaC	Candor sand, 6 to 10 percent slopes	Johnston		2 Drainageways, Flood plains	Yes	2B3, 3, 4
Darlington County, South Carolina	12	CaD	Candor sand, 10 to 15 percent slopes	Johnston		2 Drainageways, Flood plains	Yes	2B3, 3, 4

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Darlington County, South Carolina	13	CeA	Chastain-Chewacla complex, 0 to 2 percent slopes, frequently flooded	Chastain	75	Flood plains	Yes	2B3, 4
Darlington County, South Carolina	13	CeA	Chastain-Chewacla complex, 0 to 2 percent slopes, frequently flooded	Chewacla	20	Flood plains	Yes	4
Darlington County, South Carolina	14	CkA	Chewacla clay loam, 0 to 2 percent slopes, frequently flooded	Chewacla	90	Flood plains	Yes	4
Darlington County, South Carolina	14	CkA	Chewacla clay loam, 0 to 2 percent slopes, frequently flooded	Chastain	3	Flood plains	Yes	2B3, 4
Darlington County, South Carolina	15	CmA	Chewacla-Chastain complex, 0 to 2 percent slopes, frequently flooded	Chewacla	75	Flood plains	Yes	4
Darlington County, South Carolina	15	CmA	Chewacla-Chastain complex, 0 to 2 percent slopes, frequently flooded	Chastain	20	Flood plains	Yes	2B3, 4
Darlington County, South Carolina	16	CoC	Cowarts-Vaucluse complex, 6 to 10 percent slopes	Johnston	2	Drainageways, Flood plains	Yes	2B3, 3, 4
Darlington County, South Carolina	17	CoD	Cowarts-Vaucluse complex, 15 to 25 percent slopes	Johnston	2	Drainageways, Flood plains	Yes	2B3, 3, 4

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Darlington County, South Carolina	18	CoE	Cowarts-Vaucluse complex, 15 to 25 percent slopes	Johnston		2 Drainageways, Flood plains	Yes	2B3, 3, 4
Darlington County, South Carolina	19	CxA	Coxville sandy loam, 0 to 2 percent slopes	Coxville	85	Depressions, Flats	Yes	2B3
Darlington County, South Carolina	20	DpA	Dorovan and Ponzer soils, 0 to 2 percent slopes, frequently flooded	Dorovan	70	Drainageways, Flood plains	Yes	1, 3
Darlington County, South Carolina	20	DpA	Dorovan and Ponzer soils, 0 to 2 percent slopes, frequently flooded	Ponzer	25	Drainageways, Flood plains	Yes	1, 4
Darlington County, South Carolina	21	EmB	Emporia loamy sand, 2 to 6 percent slopes	Coxville	3	Depressions, Flats	Yes	2B3
Darlington County, South Carolina	21	EmB	Emporia loamy sand, 2 to 6 percent slopes	Rains	2	Depressions, Flats	Yes	2B3
Darlington County, South Carolina	23	EuA	Eunola loamy sand, 0 to 2 percent slopes	Lumbee	2	Depressions, Flats	Yes	2B3
Darlington County, South Carolina	25	FaB	Faceville loamy sand, 2 to 6 percent slopes	Coxville	3	Depressions, Flats	Yes	2B3
Darlington County, South Carolina	25	FaB	Faceville loamy sand, 2 to 6 percent slopes	Rains	2	Depressions, Flats	Yes	2B3
Darlington County, South Carolina	28	GoA	Goldsboro sandy loam, 0 to 2 percent slopes	Coxville	3	Depressions, Flats	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Darlington County, South Carolina	28	GoA	Goldsboro sandy loam, 0 to 2 percent slopes	Rains	2	Depressions, Flats	Yes	2B3
Darlington County, South Carolina	30	HnB	Hornsville loam, 2 to 6 percent slopes	Lumbee	2	Depressions, Flats	Yes	2B3
Darlington County, South Carolina	32	JoA	Johnston sandy loam, 0 to 2 percent slopes, frequently flooded	Johnston	95	Drainageways, Flood plains	Yes	2B3, 3, 4
Darlington County, South Carolina	35	LaC	Lakeland sand, 6 to 10 percent slopes	Johnston	2	Drainageways, Flood plains	Yes	2B3, 3, 4
Darlington County, South Carolina	36	LeA	Leon sand, 0 to 2 percent slopes	Leon	100	Depressions	Yes	2B3
Darlington County, South Carolina	37	LmA	Lumbee sandy loam, 0 to 2 percent slopes	Lumbee	95	Depressions, Flats	Yes	2B3
Darlington County, South Carolina	39	LyA	Lynchburg sandy loam, 0 to 2 percent slopes	Coxville	3	Depressions, Flats	Yes	2B3
Darlington County, South Carolina	39	LyA	Lynchburg sandy loam, 0 to 2 percent slopes	Rains	2	Depressions, Flats	Yes	2B3
Darlington County, South Carolina	43	NcB	Noboco loamy sand, 2 to 6 percent slopes	Coxville	3	Depressions, Flats	Yes	2B3
Darlington County, South Carolina	43	NcB	Noboco loamy sand, 2 to 6 percent slopes	Rains	2	Depressions, Flats	Yes	2B3
Darlington County, South Carolina	45	NoB	Norfolk loamy sand, 2 to 6 percent slopes	Coxville	3	Depressions, Flats	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydric rating	hydric criteria
Darlington County, South Carolina	45	NoB	Norfolk loamy sand, 2 to 6 percent slopes	Rains	2	Depressions, Flats	Yes	2B3
Darlington County, South Carolina	47	PaA	Pamlico muck, 0 to 2 percent slopes, frequently flooded	Pamlico	95	Drainageways, Flood plains	Yes	
Darlington County, South Carolina	49	PnB	Pelion loamy sand, 2 to 6 percent slopes	Lumbee	2	Depressions, Flats	Yes	2B3
Darlington County, South Carolina	50	PrA	Persanti loam, 0 to 2 percent slopes	Coxville	3	Depressions, Flats	Yes	2B3
Darlington County, South Carolina	51	RaA	Rains sandy loam, 0 to 2 percent slopes	Rains	95	Depressions, Flats	Yes	2B3
Darlington County, South Carolina	53	SmA	Smithboro silt loam, 0 to 2 percent slopes	Coxville	2	Depressions, Flats	Yes	2B3
Darlington County, South Carolina	55	TrB	Troup sand, 0 to 6 percent slopes	Johnston	2	Drainageways, Flood plains	Yes	2B3, 3, 4
Darlington County, South Carolina	56	TrC	Troup sand, 6 to 10 percent slopes	Johnston	2	Drainageways, Flood plains	Yes	2B3, 3, 4
Darlington County, South Carolina	58	UcC	Uchee sand, 6 to 10 percent slopes	Johnston	2	Drainageways, Flood plains	Yes	2B3, 3, 4
Darlington County, South Carolina	60	Ur	Urban land	Ogeechee	15	Marine terraces	Yes	2B3
Darlington County, South Carolina	65	WcA	Wehadkee-Chastain complex, 0 to 2 percent slopes, frequently flooded	Chastain	20	Flood plains	Yes	2B3, 4

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Darlington County, South Carolina	65	WcA	Wehadkee-Chastain complex, 0 to 2 percent slopes, frequently flooded	Wehadkee	75	Flood plains	Yes	2B3, 4
Dillon County, South Carolina	2	By	Byars loam	Byars	100	Flats	Yes	2B3, 3
Dillon County, South Carolina	3	Ca	Cantey loam	Cantey	100	Flats	Yes	2B3
Dillon County, South Carolina	4	Ch	Chastain loam, frequently flooded	Chastain	100	Flood plains	Yes	2B3
Dillon County, South Carolina	5	CpA	Chipley sand, 0 to 2 percent slopes	Osier	2	Drainageways	Yes	2B2
Dillon County, South Carolina	6	Cr	Clarendon loamy sand	Coxville	2	Flats, Marine terraces	Yes	2B3
Dillon County, South Carolina	6	Cr	Clarendon loamy sand	Rains	2	Flats, Marine terraces	Yes	2B3
Dillon County, South Carolina	7	Cx	Coxville fine sandy loam	Coxville	100	Flats, Marine terraces	Yes	2B3
Dillon County, South Carolina	10	Dn	Dunbar fine sandy loam	Coxville	2	Flats, Marine terraces	Yes	2B3
Dillon County, South Carolina	11	DuA	Duplin fine sandy loam, 0 to 2 percent slopes	Coxville	2	Flats, Marine terraces	Yes	2B3
Dillon County, South Carolina	16	Jo	Johns loamy sand	Lumbee	3	Flats	Yes	2B3
Dillon County, South Carolina	17	JR	Johnston-Rutlege association, frequently flooded	Johnston	55	Flood plains	Yes	2B3, 3, 4
Dillon County, South Carolina	17	JR	Johnston-Rutlege association, frequently flooded	Rutlege	45	Flood plains	Yes	2B2
Dillon County, South Carolina	21	LbA	Leon sand, 0 to 2 percent slopes	Leon	100	Marine terraces	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Dillon County, South Carolina	23	Lm	Lumbee sandy loam	Lumbee	100	Flats	Yes	2B3
Dillon County, South Carolina	24	Ln	Lynchburg sandy loam	Coxville	2	Flats, Marine terraces	Yes	2B3
Dillon County, South Carolina	24	Ln	Lynchburg sandy loam	Rains	2	Flats, Marine terraces	Yes	2B3
Dillon County, South Carolina	25	Ly	Lynn Haven sand	Lynn Haven	100	Marine terraces	Yes	2B3
Dillon County, South Carolina	26	Mc	McColl loam	McColl	96	Marine terraces	Yes	2B3, 3
Dillon County, South Carolina	26	Mc	McColl loam	Coxville	2	Flats, Marine terraces	Yes	2B3
Dillon County, South Carolina	29	Os	Osier loamy sand	Osier	100	Drainageways	Yes	2B2
Dillon County, South Carolina	30	Pa	Pantego loam	Pantego	100	Flats, Marine terraces	Yes	2B3
Dillon County, South Carolina	31	Pb	Paxville loam	Paxville	100	Drainageways, Marine terraces	Yes	2B3, 3
Dillon County, South Carolina	32	PeA	Persanti fine sandy loam, 0 to 2 percent slopes	Coxville	2	Flats, Marine terraces	Yes	2B3
Dillon County, South Carolina	33	PeB	Persanti fine sandy loam, 2 to 6 percent slopes	Coxville	2	Flats, Marine terraces	Yes	2B3
Dillon County, South Carolina	35	PZ	Ponzer soils	Ponzer	100	Flood plains	Yes	1
Dillon County, South Carolina	36	Ra	Rains fine sandy loam	Rains	96	Flats, Marine terraces	Yes	2B3
Dillon County, South Carolina	36	Ra	Rains fine sandy loam	Coxville	2	Flats, Marine terraces	Yes	2B3
Dillon County, South Carolina	37	RnB	Rimini sand, 0 to 6 percent slopes	Leon	2	Marine terraces	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Dillon County, South Carolina	38	Ru	Rutlege loamy sand	Rutlege	100	Flood plains	Yes	2B2
Dillon County, South Carolina	39	Sm	Smithboro loam	Coxville	2	Flats, Marine terraces	Yes	2B3
Dillon County, South Carolina	39	Sm	Smithboro loam	Cantey	2	Flats	Yes	2B3
Dillon County, South Carolina	40	SuA	Summerton loamy fine sand, 0 to 2 percent slopes	Coxville	2	Flats, Marine terraces	Yes	2B3
Dillon County, South Carolina	40	SuA	Summerton loamy fine sand, 0 to 2 percent slopes	Cantey	2	Flats	Yes	2B3
Dillon County, South Carolina	43	TA	Tawcaw association, frequently flooded	Chastain	2	Flood plains	Yes	2B3
Dorchester County, South Carolina	0	AbA	Albany fine sand, 0 to 2 percent slopes	Osier	3	Stream terraces	Yes	2B2
Dorchester County, South Carolina	1	ApB	Alpin fine sand, 0 to 6 percent slopes	Osier	3	Stream terraces	Yes	2B2
Dorchester County, South Carolina	2	BIA	Blanton fine sand, 0 to 2 percent slopes	Osier	2	Stream terraces	Yes	2B2
Dorchester County, South Carolina	2	BIA	Blanton fine sand, 0 to 2 percent slopes	Lynn Haven	2	Marine terraces	Yes	2B1
Dorchester County, South Carolina	2	BIA	Blanton fine sand, 0 to 2 percent slopes	Pelham	2	Marine terraces	Yes	2B2
Dorchester County, South Carolina	3	BIB	Blanton fine sand, 2 to 6 percent slopes	Osier	2	Stream terraces	Yes	2B2
Dorchester County, South Carolina	3	BIB	Blanton fine sand, 2 to 6 percent slopes	Lynn Haven	2	Marine terraces	Yes	2B1
Dorchester County, South Carolina	3	BIB	Blanton fine sand, 2 to 6 percent slopes	Pelham	2	Marine terraces	Yes	2B2
Dorchester County, South Carolina	4	BoA	Bonneau fine sand, 0 to 2 percent slopes	Rains	2	Marine terraces	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Dorchester County, South Carolina	5	BoB	Bonneau fine sand, 2 to 6 percent slopes	Rains	2	Marine terraces	Yes	2B3
Dorchester County, South Carolina	6	Br	Brookman clay loam, frequently flooded	Brookman	95	Marine terraces	Yes	2B3, 4
Dorchester County, South Carolina	6	Br	Brookman clay loam, frequently flooded	Osier	2	Stream terraces	Yes	2B2
Dorchester County, South Carolina	7	Ca	Capers silty clay loam	Capers	100	Tidal marshes	Yes	2B3, 3
Dorchester County, South Carolina	8	ChA	Chiple sand, 0 to 2 percent slopes	Osier	2	Stream terraces	Yes	2B2
Dorchester County, South Carolina	8	ChA	Chiple sand, 0 to 2 percent slopes	Leon	2	Marine terraces	Yes	2B1
Dorchester County, South Carolina	9	CoB	Chisolm fine sand, 0 to 6 percent slopes	Ogeechee	2	Marine terraces	Yes	2B3
Dorchester County, South Carolina	10	Cs	Coosaw loamy fine sand	Ogeechee	2	Marine terraces	Yes	2B3
Dorchester County, South Carolina	11	Cx	Coxville loam	Coxville	90	Marine terraces	Yes	2B3
Dorchester County, South Carolina	11	Cx	Coxville loam	Rains	2	Marine terraces	Yes	2B3
Dorchester County, South Carolina	11	Cx	Coxville loam	Pantego	2	Marine terraces	Yes	2B3
Dorchester County, South Carolina	12	Da	Daleville silt loam	Daleville	95	Marine terraces	Yes	2B3
Dorchester County, South Carolina	12	Da	Daleville silt loam	Grifton	2	Flood plains	Yes	2B3
Dorchester County, South Carolina	13	Ec	Echaw fine sand	Osier	2	Stream terraces	Yes	2B2
Dorchester County, South Carolina	13	Ec	Echaw fine sand	Leon	2	Marine terraces	Yes	2B1

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Dorchester County, South Carolina	14	Eu	Elloree loamy fine sand, occasionally flooded	Elloree	90	Flood plains	Yes	2B2
Dorchester County, South Carolina	14	Eu	Elloree loamy fine sand, occasionally flooded	Rutlege	2	Flood plains	Yes	2B2
Dorchester County, South Carolina	15	EpB	Emporia loamy fine sand, 2 to 6 percent slopes	Daleville	3	Marine terraces	Yes	2B3
Dorchester County, South Carolina	16	EuA	Eulonia fine sandy loam, 0 to 2 percent slopes	Ogeechee	2	Marine terraces	Yes	2B3
Dorchester County, South Carolina	16	EuA	Eulonia fine sandy loam, 0 to 2 percent slopes	Mouzon	2	Flood plains	Yes	2B3
Dorchester County, South Carolina	17	EuB	Eulonia fine sandy loam, 2 to 6 percent slopes	Ogeechee	2	Marine terraces	Yes	2B3
Dorchester County, South Carolina	17	EuB	Eulonia fine sandy loam, 2 to 6 percent slopes	Mouzon	2	Flood plains	Yes	2B3
Dorchester County, South Carolina	18	FoA	Foreston loamy fine sand, 0 to 2 percent slopes	Osier	2	Stream terraces	Yes	2B2
Dorchester County, South Carolina	18	FoA	Foreston loamy fine sand, 0 to 2 percent slopes	Rains	2	Marine terraces	Yes	2B3
Dorchester County, South Carolina	18	FoA	Foreston loamy fine sand, 0 to 2 percent slopes	Leon	2	Marine terraces	Yes	2B1
Dorchester County, South Carolina	19	FxB	Foxworth fine sand, 0 to 6 percent slopes	Osier	2	Stream terraces	Yes	2B2

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Dorchester County, South Carolina	19	FxB	Foxworth fine sand, 0 to 6 percent slopes	Leon	2	Marine terraces	Yes	2B1
Dorchester County, South Carolina	20	GoA	Goldsboro loamy sand, 0 to 2 percent slopes	Rains	2	Marine terraces	Yes	2B3
Dorchester County, South Carolina	21	Gr	Grifton fine sandy loam, frequently flooded	Grifton	95	Flood plains	Yes	2B3
Dorchester County, South Carolina	21	Gr	Grifton fine sandy loam, frequently flooded	Osier	3	Stream terraces	Yes	2B2
Dorchester County, South Carolina	22	Hb	Handsboro muck	Handsboro	94	Tidal marshes	Yes	1, 3, 4
Dorchester County, South Carolina	22	Hb	Handsboro muck	Capers	2	Tidal marshes	Yes	2B3, 3
Dorchester County, South Carolina	23	Hp	Haplaquents, loamy	Haplaquents	100	Marine terraces	Yes	2B3
Dorchester County, South Carolina	24	IzA	Izagora silt loam, 0 to 2 percent slopes	Daleville	2	Marine terraces	Yes	2B3
Dorchester County, South Carolina	26	Jd	Jedburg loam	Daleville	2	Marine terraces	Yes	2B3
Dorchester County, South Carolina	27	JoA	Johns loamy sand, 0 to 2 percent slopes	Osier	2	Stream terraces	Yes	2B2
Dorchester County, South Carolina	28	Le	Leon sand	Leon	95	Marine terraces	Yes	2B1
Dorchester County, South Carolina	28	Le	Leon sand	Lynn Haven	2	Marine terraces	Yes	2B1
Dorchester County, South Carolina	29	Lm	Lumbee fine sandy loam, occasionally flooded	Lumbee	90	Stream terraces	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Dorchester County, South Carolina	29	Lm	Lumbee fine sandy loam, occasionally flooded	Ogeechee	3	Marine terraces	Yes	2B3
Dorchester County, South Carolina	30	Ln	Lynchburg loamy sand	Rains	2	Marine terraces	Yes	2B3
Dorchester County, South Carolina	30	Ln	Lynchburg loamy sand	Coxville	2	Marine terraces	Yes	2B3
Dorchester County, South Carolina	31	Ly	Lynn Haven fine sand	Lynn Haven	95	Marine terraces	Yes	2B1
Dorchester County, South Carolina	31	Ly	Lynn Haven fine sand	Leon	2	Marine terraces	Yes	2B1
Dorchester County, South Carolina	32	Mo	Mouzon fine sandy loam, occasionally flooded	Mouzon	96	Flood plains	Yes	2B3
Dorchester County, South Carolina	32	Mo	Mouzon fine sandy loam, occasionally flooded	Brookman	2	Marine terraces	Yes	2B3, 4
Dorchester County, South Carolina	33	Na	Nakina fine sandy loam	Nakina	90	Marine terraces	Yes	2B3
Dorchester County, South Carolina	33	Na	Nakina fine sandy loam	Mouzon	2	Flood plains	Yes	2B3
Dorchester County, South Carolina	33	Na	Nakina fine sandy loam	Brookman	2	Marine terraces	Yes	2B3, 4
Dorchester County, South Carolina	34	NoA	Noboco loamy sand, 0 to 2 percent slopes	Rains	2	Marine terraces	Yes	2B3
Dorchester County, South Carolina	35	OcA	Ocilla sand, 0 to 2 percent slopes	Osier	2	Stream terraces	Yes	2B2
Dorchester County, South Carolina	35	OcA	Ocilla sand, 0 to 2 percent slopes	Pelham	2	Marine terraces	Yes	2B2
Dorchester County, South Carolina	35	OcA	Ocilla sand, 0 to 2 percent slopes	Rains	2	Marine terraces	Yes	2B3
Dorchester County, South Carolina	36	Og	Ogeechee fine sandy loam	Ogeechee	100	Marine terraces	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Dorchester County, South Carolina	37	Os	Osier loamy fine sand, frequently flooded	Osier	100	Stream terraces	Yes	2B2
Dorchester County, South Carolina	38	Pa	Pantego sandy loam	Pantego	95	Marine terraces	Yes	2B3
Dorchester County, South Carolina	38	Pa	Pantego sandy loam	Rains	2	Marine terraces	Yes	2B3
Dorchester County, South Carolina	39	Pe	Pelham sand	Pelham	95	Marine terraces	Yes	2B2
Dorchester County, South Carolina	39	Pe	Pelham sand	Rains	2	Marine terraces	Yes	2B3
Dorchester County, South Carolina	40	Pm	Plummer loamy sand	Plummer	90	Marine terraces	Yes	2B3
Dorchester County, South Carolina	40	Pm	Plummer loamy sand	Pelham	2	Marine terraces	Yes	2B2
Dorchester County, South Carolina	40	Pm	Plummer loamy sand	Rains	2	Marine terraces	Yes	2B3
Dorchester County, South Carolina	41	Ra	Rains sandy loam	Rains	90	Marine terraces	Yes	2B3
Dorchester County, South Carolina	41	Ra	Rains sandy loam	Pelham	2	Marine terraces	Yes	2B2
Dorchester County, South Carolina	41	Ra	Rains sandy loam	Pantego	2	Marine terraces	Yes	2B3
Dorchester County, South Carolina	42	Ru	Rutlege loamy fine sand, frequently flooded	Rutlege	100	Flood plains	Yes	2B2
Dorchester County, South Carolina	43	Se	Seagate sand	Pelham	2	Marine terraces	Yes	2B2
Dorchester County, South Carolina	43	Se	Seagate sand	Leon	2	Marine terraces	Yes	2B1
Dorchester County, South Carolina	43	Se	Seagate sand	Elloree	2	Flood plains	Yes	2B2
Dorchester County, South Carolina	45	Wa	Wahee fine sandy loam	Mouzon	2	Flood plains	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydric rating	hydric criteria
Dorchester County, South Carolina	45	Wa	Wahee fine sandy loam	Brookman	2	Marine terraces	Yes	2B3, 4
Dorchester County, South Carolina	46	YaA	Yauhannah loamy fine sand, 0 to 2 percent slopes	Ogeechee	3	Marine terraces	Yes	2B3
Dorchester County, South Carolina	47	Ye	Yemassee fine sandy loam	Ogeechee	2	Marine terraces	Yes	2B3
Dorchester County, South Carolina	47	Ye	Yemassee fine sandy loam	Ellore	2	Flood plains	Yes	2B2
Edgefield County, South Carolina	13	EN	Enoree soils	Enoree	100	Flood plains	Yes	2B3
Edgefield County, South Carolina	50	Re	Rembert loam	Rembert	100	Depressions	Yes	2B3, 3
Fairfield County, South Carolina	2	Ar	Armenia loam	Armenia	80	Depressions	Yes	2B3
Fairfield County, South Carolina	10	Cw	Chewacla loam	Frequently flooded areas	5	Flood plains	Yes	2B3, 4
Fairfield County, South Carolina	29	To	Toccoa loam	Wet areas	5	Depressions	Yes	2B3
Florence County, South Carolina	0	Ba	Barth loamy sand	Osier	2	Drainageways, Flood plains	Yes	2B2, 3
Florence County, South Carolina	0	Ba	Barth loamy sand	Pantego	1	Flats, Marine terraces	Yes	2B3
Florence County, South Carolina	0	Ba	Barth loamy sand	Rutlege	1	Drainageways, Flood plains	Yes	2B2, 3
Florence County, South Carolina	3	Cb	Cahaba-Leaf complex	Cantey	33	Marine terraces	Yes	2B3
Florence County, South Carolina	4	Ce	Cape Fear loam	Cape Fear	95	Marine terraces	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydric rating	hydric criteria
Florence County, South Carolina	5	Ch	Chastain-Chewacla-Congaree association, frequently flooded	Chastain	40	Flood plains	Yes	2B3, 4
Florence County, South Carolina	6	Cn	Chipley loamy sand, dark surface	Rutlege	1	Drainageways, Flood plains	Yes	2B2, 3
Florence County, South Carolina	7	Cv	Coxville fine sandy loam	Coxville	95	Flats, Marine terraces	Yes	2B3
Florence County, South Carolina	11	Ex	Exum sandy loam	Pantego	2	Flats, Marine terraces	Yes	2B3
Florence County, South Carolina	11	Ex	Exum sandy loam	Rains	2	Flats, Marine terraces	Yes	2B3
Florence County, South Carolina	11	Ex	Exum sandy loam	Coxville	2	Flats, Marine terraces	Yes	2B3
Florence County, South Carolina	12	FaA	Faceville loamy sand, 0 to 2 percent slopes	Pantego	2	Flats, Marine terraces	Yes	2B3
Florence County, South Carolina	12	FaA	Faceville loamy sand, 0 to 2 percent slopes	Rains	2	Flats, Marine terraces	Yes	2B3
Florence County, South Carolina	12	FaA	Faceville loamy sand, 0 to 2 percent slopes	Coxville	2	Flats, Marine terraces	Yes	2B3
Florence County, South Carolina	13	FaB	Faceville loamy sand, 2 to 6 percent slopes	Pantego	2	Flats, Marine terraces	Yes	2B3
Florence County, South Carolina	13	FaB	Faceville loamy sand, 2 to 6 percent slopes	Rains	2	Flats, Marine terraces	Yes	2B3
Florence County, South Carolina	13	FaB	Faceville loamy sand, 2 to 6 percent slopes	Coxville	2	Flats, Marine terraces	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydric rating	hydric criteria
Florence County, South Carolina	15	FuB	Fuquay sand, 0 to 4 percent slopes	Pantego	2	Flats, Marine terraces	Yes	2B3
Florence County, South Carolina	15	FuB	Fuquay sand, 0 to 4 percent slopes	Rains	2	Flats, Marine terraces	Yes	2B3
Florence County, South Carolina	15	FuB	Fuquay sand, 0 to 4 percent slopes	Coxville	2	Flats, Marine terraces	Yes	2B3
Florence County, South Carolina	16	Go	Goldsboro loamy sand	Pantego	2	Flats, Marine terraces	Yes	2B3
Florence County, South Carolina	16	Go	Goldsboro loamy sand	Rains	2	Flats, Marine terraces	Yes	2B3
Florence County, South Carolina	16	Go	Goldsboro loamy sand	Coxville	2	Flats, Marine terraces	Yes	2B3
Florence County, South Carolina	17	Hy	Hyde loam	Hyde	95	Marine terraces	Yes	2B3
Florence County, South Carolina	23	Ls	Leaf fine sandy loam	Cantey	95	Flats, Marine terraces	Yes	2B3
Florence County, South Carolina	26	Ly	Lynchburg sandy loam	Pantego	2	Flats, Marine terraces	Yes	2B3
Florence County, South Carolina	26	Ly	Lynchburg sandy loam	Rains	2	Flats, Marine terraces	Yes	2B3
Florence County, South Carolina	26	Ly	Lynchburg sandy loam	Coxville	2	Flats, Marine terraces	Yes	2B3
Florence County, South Carolina	27	Lz	Lynn Haven sand	Lynn Haven	95	Flats, Marine terraces	Yes	2B1
Florence County, South Carolina	29	NoA	Norfolk loamy sand, 0 to 2 percent slopes	Pantego	2	Flats, Marine terraces	Yes	2B3
Florence County, South Carolina	29	NoA	Norfolk loamy sand, 0 to 2 percent slopes	Rains	2	Flats, Marine terraces	Yes	2B3
Florence County, South Carolina	29	NoA	Norfolk loamy sand, 0 to 2 percent slopes	Coxville	2	Flats, Marine terraces	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydric rating	hydric criteria
Florence County, South Carolina	30	NoB	Norfolk loamy sand, 2 to 6 percent slopes	Pantego	2	Flats, Marine terraces	Yes	2B3
Florence County, South Carolina	30	NoB	Norfolk loamy sand, 2 to 6 percent slopes	Rains	2	Flats, Marine terraces	Yes	2B3
Florence County, South Carolina	30	NoB	Norfolk loamy sand, 2 to 6 percent slopes	Coxville	2	Flats, Marine terraces	Yes	2B3
Florence County, South Carolina	35	Os	Osier loamy sand	Osier	95	Drainageways, Flood plains	Yes	2B2, 3
Florence County, South Carolina	36	Pa	Pantego loam	Pantego	95	Flats, Marine terraces	Yes	2B3
Florence County, South Carolina	38	Ra	Rains sandy loam	Rains	95	Flats, Marine terraces	Yes	2B3
Florence County, South Carolina	38	Ra	Rains sandy loam	Coxville	2	Flats, Marine terraces	Yes	2B3
Florence County, South Carolina	40	Ru	Rutlege loamy sand	Rutlege	95	Drainageways, Flood plains	Yes	2B2, 3
Florence County, South Carolina	43	Ub	Urban land-Coxville-Norfolk association	Coxville	15	Marine terraces	Yes	2B3
Florence County, South Carolina	44	VaA	Varina loamy fine sand, 0 to 2 percent slopes	Pantego	2	Flats, Marine terraces	Yes	2B3
Florence County, South Carolina	44	VaA	Varina loamy fine sand, 0 to 2 percent slopes	Coxville	2	Flats, Marine terraces	Yes	2B3
Florence County, South Carolina	47	WgB	Wagram sand, 0 to 6 percent slopes	Pantego	2	Flats, Marine terraces	Yes	2B3
Florence County, South Carolina	47	WgB	Wagram sand, 0 to 6 percent slopes	Rains	2	Flats, Marine terraces	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydric rating	hydric criteria
Florence County, South Carolina	47	WgB	Wagram sand, 0 to 6 percent slopes	Coxville	2	Flats, Marine terraces	Yes	2B3
Florence County, South Carolina	50	Wh	Wahee fine sandy loam	Cantey	2	Flats, Marine terraces	Yes	2B3
Florence County, South Carolina	51	Wk	Wehadkee-Chastain association, frequently flooded	Wehadkee	40	Flood plains	Yes	2B3, 4
Florence County, South Carolina	51	Wk	Wehadkee-Chastain association, frequently flooded	Chastain	24	Flood plains	Yes	2B3, 4
Florence County, South Carolina	52	Wn	Wehadkee and Johnston soils, frequently flooded	Wehadkee	37	Flood plains	Yes	2B3, 4
Florence County, South Carolina	52	Wn	Wehadkee and Johnston soils, frequently flooded	Johnston	24	Flood plains	Yes	2B3, 3, 4
Georgetown County, South Carolina	0	10	Leon sand	Leon	100	Marine terraces	Yes	2B3
Georgetown County, South Carolina	1	11	Beaches	Beaches	100	Beaches	Yes	4
Georgetown County, South Carolina	2	12A	Yauhannah loamy fine sand, 0 to 2 percent slopes	Grifton	2	Flats	Yes	2B3
Georgetown County, South Carolina	3	13	Bladen loam	Bladen	100	Flats	Yes	2B3
Georgetown County, South Carolina	5	15	Bohicket silty clay loam	Bohicket	100	Tidal marshes	Yes	2B3, 3
Georgetown County, South Carolina	6	18	Cape Fear loam	Cape Fear	100	Flats	Yes	2B3
Georgetown County, South Carolina	7	19	Levy silty clay loam	Levy	100	Tidal marshes	Yes	2B3, 3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Georgetown County, South Carolina	11	26A	Eulonia loamy fine sand, 0 to 2 percent slopes	Bladen	3	Flats	Yes	2B3
Georgetown County, South Carolina	13	27	Rutlege sand	Rutlege	100	Flood plains	Yes	2B2
Georgetown County, South Carolina	14	28	Echaw sand	Leon	2	Marine terraces	Yes	2B3
Georgetown County, South Carolina	15	31	Hobcaw loam	Hobcaw	100	Flood plains	Yes	2B3, 3
Georgetown County, South Carolina	16	33	Hobonny muck	Hobonny	100	Flood plains	Yes	1, 3, 4
Georgetown County, South Carolina	17	34	Johnston loam	Johnston	100	Flood plains	Yes	2B3, 3, 4
Georgetown County, South Carolina	19	38B	Newhan sand, 0 to 6 percent slopes	Beaches	3	Beaches	Yes	4
Georgetown County, South Carolina	21	50	Lynn Haven sand	Lynn Haven	100	Flats	Yes	2B1
Georgetown County, South Carolina	22	54A	Chiplely fine sand, 0 to 2 percent slopes	Leon	2	Marine terraces	Yes	2B3
Georgetown County, South Carolina	22	54A	Chiplely fine sand, 0 to 2 percent slopes	Johnston	2	Flood plains	Yes	2B3, 3, 4
Georgetown County, South Carolina	23	55	Witherbee fine sand	Leon	2	Marine terraces	Yes	2B3
Georgetown County, South Carolina	24	56	Chastain silty clay loam	Chastain	100	Flood plains	Yes	2B3
Georgetown County, South Carolina	25	57	Grifton loamy fine sand	Grifton	100	Flats	Yes	2B3
Georgetown County, South Carolina	27	59	Wahee fine sandy loam	Bladen	3	Flats	Yes	2B3
Georgetown County, South Carolina	28	61	Yemassee loamy fine sand	Grifton	3	Flats	Yes	2B3
Greenville County, South Carolina	12	Cb	Cartecay and Toccoa soils	Wehadkee	10	Flood plains	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Greenville County, South Carolina	64	Wd	Wehadkee soils	Wehadkee	100	Flood plains	Yes	2B3
Greenwood County, South Carolina	3	Ca	Cartecay and Toccoa soils	Wehadkee	5	Flood plains	Yes	2B3
Greenwood County, South Carolina	14	Cn	Chewacla loam	Wehadkee	5	Flood plains	Yes	2B3
Greenwood County, South Carolina	52	We	Wehadkee soils	Wehadkee	85	Flood plains	Yes	2B3
Greenwood County, South Carolina	55	WoB	Worsham loam, 1 to 4 percent slopes	Worsham	85	Depressions	Yes	2B3
Hampton County, South Carolina	2	Ar	Argent fine sandy loam, ponded	Argent	100	Marine terraces	Yes	2B3, 3
Hampton County, South Carolina	6	BaB	Blanton fine sand, 2 to 6 percent slopes	Coxville	2	Marine terraces	Yes	2B3
Hampton County, South Carolina	6	BaB	Blanton fine sand, 2 to 6 percent slopes	Rains	2	Marine terraces	Yes	2B3
Hampton County, South Carolina	10	BoB	Bonneau fine sand, 2 to 6 percent slopes	Coxville	2	Marine terraces	Yes	2B3
Hampton County, South Carolina	10	BoB	Bonneau fine sand, 2 to 6 percent slopes	Rains	2	Marine terraces	Yes	2B3
Hampton County, South Carolina	11	Br	Brookman clay loam, ponded	Brookman	100	Marine terraces	Yes	2B3, 3
Hampton County, South Carolina	12	By	Byars loam, ponded	Byars	95	Marine terraces	Yes	2B3, 3
Hampton County, South Carolina	12	By	Byars loam, ponded	Coxville	2	Marine terraces	Yes	2B3
Hampton County, South Carolina	17	Cx	Coxville loam	Coxville	95	Marine terraces	Yes	2B3
Hampton County, South Carolina	17	Cx	Coxville loam	Rains	2	Marine terraces	Yes	2B3
Hampton County, South Carolina	18	Ec	Echaw sand	Leon	2	Marine terraces	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Hampton County, South Carolina	19	Eo	Ellore loamy fine sand, occasionally flooded	Ellore	100	Marine terraces	Yes	2B2
Hampton County, South Carolina	23	EuB	Eulonia fine sandy loam, 2 to 6 percent slopes	Brookman	2	Marine terraces	Yes	2B3, 3
Hampton County, South Carolina	25	GoA	Goldsboro loamy sand, 0 to 2 percent slopes	Coxville	2	Marine terraces	Yes	2B3
Hampton County, South Carolina	25	GoA	Goldsboro loamy sand, 0 to 2 percent slopes	Rains	2	Marine terraces	Yes	2B3
Hampton County, South Carolina	26	Gr	Grifton-Osier complex, frequently flooded	Grifton	60	Marine terraces	Yes	2B3, 4
Hampton County, South Carolina	26	Gr	Grifton-Osier complex, frequently flooded	Osier	40	Marine terraces	Yes	2B2
Hampton County, South Carolina	29	Le	Leon sand	Leon	100	Marine terraces	Yes	2B3
Hampton County, South Carolina	30	Ly	Lynchburg loamy fine sand	Coxville	2	Marine terraces	Yes	2B3
Hampton County, South Carolina	30	Ly	Lynchburg loamy fine sand	Rains	2	Marine terraces	Yes	2B3
Hampton County, South Carolina	31	Na	Nakina fine sandy loam, occasionally flooded	Nakina	100	Marine terraces	Yes	2B3
Hampton County, South Carolina	34	NoB	Noboco loamy sand, 2 to 6 percent slopes	Coxville	2	Marine terraces	Yes	2B3
Hampton County, South Carolina	34	NoB	Noboco loamy sand, 2 to 6 percent slopes	Rains	2	Marine terraces	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydric rating	hydric criteria
Hampton County, South Carolina	36	NrB	Norfolk loamy sand, 2 to 6 percent slopes	Coxville	2	Marine terraces	Yes	2B3
Hampton County, South Carolina	36	NrB	Norfolk loamy sand, 2 to 6 percent slopes	Rains	2	Marine terraces	Yes	2B3
Hampton County, South Carolina	37	OcA	Ocilla fine sand, 0 to 2 percent slopes	Coxville	2	Marine terraces	Yes	2B3
Hampton County, South Carolina	37	OcA	Ocilla fine sand, 0 to 2 percent slopes	Rains	2	Marine terraces	Yes	2B3
Hampton County, South Carolina	38	Oe	Osier loamy sand	Osier	100	Marine terraces	Yes	2B2
Hampton County, South Carolina	39	Oy	Osier-Pickney complex, frequently flooded	Osier	60	Flood plains	Yes	2B2
Hampton County, South Carolina	39	Oy	Osier-Pickney complex, frequently flooded	Pickney	40	Flood plains	Yes	2B2, 3
Hampton County, South Carolina	40	Pa	Pantego loam, ponded	Pantego	90	Marine terraces	Yes	2B3, 3
Hampton County, South Carolina	40	Pa	Pantego loam, ponded	Coxville	2	Marine terraces	Yes	2B3
Hampton County, South Carolina	40	Pa	Pantego loam, ponded	Rains	2	Marine terraces	Yes	2B3
Hampton County, South Carolina	41	Pe	Pelham loamy sand	Pelham	100	Marine terraces	Yes	2B2
Hampton County, South Carolina	42	Pk	Pickney loamy fine sand, ponded	Pickney	100	Flood plains	Yes	2B2, 3
Hampton County, South Carolina	43	Pm	Plummer loamy fine sand	Plummer	100	Marine terraces	Yes	2B3
Hampton County, South Carolina	44	Pu	Pungo muck, ponded	Pungo	100	Marine terraces	Yes	1, 3
Hampton County, South Carolina	45	Ra	Rains fine sandy loam	Rains	95	Marine terraces	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Hampton County, South Carolina	45	Ra	Rains fine sandy loam	Coxville	2	Marine terraces	Yes	2B3
Hampton County, South Carolina	46	Re	Rembert sandy loam, ponded	Rembert	100	Marine terraces	Yes	2B3, 3
Hampton County, South Carolina	47	Ru	Rutlege loamy fine sand, ponded	Rutlege	100	Marine terraces	Yes	2B2, 3
Hampton County, South Carolina	48	Se	Seagate sand	Leon	2	Marine terraces	Yes	2B3
Hampton County, South Carolina	49	Tc	Tawcaw-Chastain complex, frequently flooded	Chastain	45	Flood plains	Yes	2B3
Hampton County, South Carolina	52	Wa	Wahee fine sandy loam	Argent	4	Marine terraces	Yes	2B3, 3
Horry County, South Carolina	0	Bc	Beaches	Beaches	100	Beaches	Yes	4
Horry County, South Carolina	1	Bd	Bladen fine sandy loam	Bladen	100	Flats	Yes	2B3, 3
Horry County, South Carolina	2	BnA	Blanton sand, 0 to 6 percent slopes	Osier	3	Stream terraces	Yes	2B2
Horry County, South Carolina	3	Bo	Bohicket silty clay loam	Bohicket	100	Tidal flats	Yes	2B3, 3
Horry County, South Carolina	4	Br	Brookman loam	Brookman	100	Flats	Yes	2B3
Horry County, South Carolina	5	Ce	Centenary fine sand	Osier	4	Stream terraces	Yes	2B2
Horry County, South Carolina	6	ChB	Chisolm fine sand, 0 to 6 percent slopes	Meggett	5	Flood plains	Yes	2B3
Horry County, South Carolina	6	ChB	Chisolm fine sand, 0 to 6 percent slopes	Ogeechee	5	Flats	Yes	2B3
Horry County, South Carolina	7	Co	Coxville fine sandy loam	Coxville	100	Flats	Yes	2B3
Horry County, South Carolina	9	Ec	Echaw sand	Leon	2	Flats	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Horry County, South Carolina	9	Ec	Echaw sand	Rutlege	2	Flood plains	Yes	2B2, 3
Horry County, South Carolina	11	EuA	Eulonia loamy fine sand, 0 to 2 percent slopes	Meggett	2	Flood plains	Yes	2B3
Horry County, South Carolina	11	EuA	Eulonia loamy fine sand, 0 to 2 percent slopes	Ogeechee	2	Flats	Yes	2B3
Horry County, South Carolina	11	EuA	Eulonia loamy fine sand, 0 to 2 percent slopes	Bladen	2	Flats	Yes	2B3, 3
Horry County, South Carolina	12	EuB	Eulonia loamy fine sand, 2 to 6 percent slopes	Meggett	2	Flood plains	Yes	2B3
Horry County, South Carolina	12	EuB	Eulonia loamy fine sand, 2 to 6 percent slopes	Ogeechee	2	Flats	Yes	2B3
Horry County, South Carolina	12	EuB	Eulonia loamy fine sand, 2 to 6 percent slopes	Bladen	2	Flats	Yes	2B3, 3
Horry County, South Carolina	13	GoA	Goldsboro loamy fine sand, 0 to 2 percent slopes	Woodington	2	Stream terraces	Yes	2B3
Horry County, South Carolina	14	Ho	Hobcaw fine sandy loam	Hobcaw	100	Flood plains	Yes	2B3, 3
Horry County, South Carolina	15	Hy	Hobonny muck	Hobonny	100	Flood plains	Yes	1, 3
Horry County, South Carolina	16	Jo	Johnston loam	Johnston	100	Flood plains	Yes	2B3, 3, 4
Horry County, South Carolina	19	Le	Leon fine sand	Leon	100	Flats	Yes	2B3
Horry County, South Carolina	20	Ln	Lynchburg loamy fine sand	Woodington	2	Stream terraces	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydric rating	hydric criteria
Horry County, South Carolina	20	Ln	Lynchburg loamy fine sand	Coxville	2	Flats	Yes	2B3
Horry County, South Carolina	21	Ly	Lynn Haven sand	Lynn Haven	100	Flats	Yes	2B3
Horry County, South Carolina	22	Me	Meggett loam	Meggett	100	Flood plains	Yes	2B3
Horry County, South Carolina	23	NaB	Nankin fine sandy loam, 2 to 6 percent slopes	Rutlege	2	Flood plains	Yes	2B2, 3
Horry County, South Carolina	23	NaB	Nankin fine sandy loam, 2 to 6 percent slopes	Woodington	2	Stream terraces	Yes	2B3
Horry County, South Carolina	24	NeA	Nansemond loamy fine sand, 0 to 2 percent slopes	Rutlege	2	Flood plains	Yes	2B2, 3
Horry County, South Carolina	24	NeA	Nansemond loamy fine sand, 0 to 2 percent slopes	Woodington	2	Stream terraces	Yes	2B3
Horry County, South Carolina	25	NhB	Newhan fine sand, 0 to 6 percent slopes	Beaches	2	Beaches	Yes	4
Horry County, South Carolina	25	NhB	Newhan fine sand, 0 to 6 percent slopes	Bohicket	2	Tidal flats	Yes	2B3, 3
Horry County, South Carolina	26	NoA	Norfolk loamy fine sand, 0 to 2 percent slopes	Coxville	2	Flats	Yes	2B3
Horry County, South Carolina	27	Og	Ogeechee loamy fine sand	Ogeechee	100	Flats	Yes	2B3
Horry County, South Carolina	28	Os	Osier loamy sand	Osier	100	Stream terraces	Yes	2B2
Horry County, South Carolina	29	Po	Pocomoke fine sandy loam	Pocomoke	100	Flats	Yes	2B3, 3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Horry County, South Carolina	30	RmB	Rimini sand, 0 to 6 percent slopes	Osier	3	Stream terraces	Yes	2B2
Horry County, South Carolina	30	RmB	Rimini sand, 0 to 6 percent slopes	Rutlege	2	Flood plains	Yes	2B2, 3
Horry County, South Carolina	30	RmB	Rimini sand, 0 to 6 percent slopes	Lynn Haven	2	Flats	Yes	2B3
Horry County, South Carolina	31	Ru	Rutlege loamy sand	Rutlege	100	Flood plains	Yes	2B2, 3
Horry County, South Carolina	33	SfB	Suffolk loamy fine sand, 2 to 6 percent slopes	Rutlege	2	Flood plains	Yes	2B2, 3
Horry County, South Carolina	33	SfB	Suffolk loamy fine sand, 2 to 6 percent slopes	Woodington	2	Stream terraces	Yes	2B3
Horry County, South Carolina	33	SfB	Suffolk loamy fine sand, 2 to 6 percent slopes	Coxville	2	Flats	Yes	2B3
Horry County, South Carolina	34	SmA	Summerton fine sandy loam, 0 to 2 percent slopes	Coxville	2	Flats	Yes	2B3
Horry County, South Carolina	37	Wa	Wahee fine sandy loam	Meggett	2	Flood plains	Yes	2B3
Horry County, South Carolina	37	Wa	Wahee fine sandy loam	Ogeechee	2	Flats	Yes	2B3
Horry County, South Carolina	37	Wa	Wahee fine sandy loam	Bladen	2	Flats	Yes	2B3, 3
Horry County, South Carolina	38	We	Witherbee sand	Leon	2	Flats	Yes	2B3
Horry County, South Carolina	38	We	Witherbee sand	Rutlege	2	Flood plains	Yes	2B2, 3
Horry County, South Carolina	38	We	Witherbee sand	Lynn Haven	2	Flats	Yes	2B3
Horry County, South Carolina	39	Wo	Woodington fine sandy loam	Woodington	100	Stream terraces	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydric rating	hydric criteria
Horry County, South Carolina	40	YaA	Yauhannah fine sandy loam, 0 to 2 percent slopes	Ogeechee	2	Flats	Yes	2B3
Horry County, South Carolina	40	YaA	Yauhannah fine sandy loam, 0 to 2 percent slopes	Bladen	2	Flats	Yes	2B3, 3
Horry County, South Carolina	41	Ye	Yemassee loamy fine sand	Ogeechee	2	Flats	Yes	2B3
Horry County, South Carolina	41	Ye	Yemassee loamy fine sand	Bladen	2	Flats	Yes	2B3, 3
Horry County, South Carolina	42	Yo	Yonges fine sandy loam	Yonges	100	Flats	Yes	2B3
Jasper County, South Carolina	0	Aa	Albany loamy fine sand, 0 to 2 percent slopes	Pelham	4	Marine terraces	Yes	2B2
Jasper County, South Carolina	1	AB	Albany-Blanton association	Osier	4	Marine terraces	Yes	2B2
Jasper County, South Carolina	2	AC	Albany-Pelham-Ocilla association	Pelham	15	Marine terraces	Yes	2B2
Jasper County, South Carolina	2	AC	Albany-Pelham-Ocilla association	Osier	5	Marine terraces	Yes	2B2
Jasper County, South Carolina	3	Ae	Argent fine sandy loam	Argent	100	Marine terraces	Yes	2B3
Jasper County, South Carolina	4	Ag	Argent clay loam	Argent	100	Marine terraces	Yes	2B3
Jasper County, South Carolina	5	AN	Argent association	Argent	100	Marine terraces	Yes	2B3
Jasper County, South Carolina	6	AO	Argent-Okeetee association	Argent	50	Marine terraces	Yes	2B3
Jasper County, South Carolina	6	AO	Argent-Okeetee association	Hobcaw	5	Flood plains	Yes	2B3
Jasper County, South Carolina	6	AO	Argent-Okeetee association	Santee	5	Marine terraces	Yes	2B3, 3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Jasper County, South Carolina	7	Ba	Baratari fine sand	Leon	100	Marine terraces	Yes	2B3
Jasper County, South Carolina	9	BC	Bertie-Coosaw-Tomotley association	Ogeechee	15	Marine terraces	Yes	2B3
Jasper County, South Carolina	9	BC	Bertie-Coosaw-Tomotley association	Argent	5	Marine terraces	Yes	2B3
Jasper County, South Carolina	10	Bd	Bladen fine sandy loam	Bladen	100	Marine terraces	Yes	2B3
Jasper County, South Carolina	13	BK	Bohicket association	Bohicket	100	Marshes	Yes	2B3, 3
Jasper County, South Carolina	17	BS	Buncombe-Santee association	Santee	30	Depressions	Yes	2B3, 3
Jasper County, South Carolina	17	BS	Buncombe-Santee association	Argent	2	Marine terraces	Yes	2B3
Jasper County, South Carolina	17	BS	Buncombe-Santee association	Chastain	2	Flood plains	Yes	2B3, 4
Jasper County, South Carolina	17	BS	Buncombe-Santee association	Pickney	2	Flood plains	Yes	2B2, 3
Jasper County, South Carolina	18	Ca	Cape Fear loam	Cape Fear	100	Flood plains	Yes	2B3
Jasper County, South Carolina	19	CE	Capers association	Capers	100	Marshes	Yes	2B3, 3
Jasper County, South Carolina	21	CK	Chiple-Pelham-Echaw association	Pelham	5	Marine terraces	Yes	2B2
Jasper County, South Carolina	21	CK	Chiple-Pelham-Echaw association	Paxville	5	Marine terraces	Yes	2B3, 3
Jasper County, South Carolina	23	Co	Coastal beaches	Beaches	100	Beaches	Yes	4
Jasper County, South Carolina	25	Cx	Coxville fine sandy loam	Coxville	100	Marine terraces	Yes	2B3
Jasper County, South Carolina	26	De	Deloss fine sandy loam	Hobcaw	100	Flood plains	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Jasper County, South Carolina	27	Ec	Echaw loamy fine sand	Pelham	4	Marine terraces	Yes	2B2
Jasper County, South Carolina	27	Ec	Echaw loamy fine sand	Lynn Haven	5	Marine terraces	Yes	2B1, 2B2
Jasper County, South Carolina	31	FA	Fluvaquents and Udipsammments	Fluvaquents	75	Flood plains	Yes	4
Jasper County, South Carolina	32	Fb	Fripp-Baratari complex	Leon	35	Marine terraces	Yes	2B3
Jasper County, South Carolina	32	Fb	Fripp-Baratari complex	Pickney	2	Flood plains	Yes	2B2, 3
Jasper County, South Carolina	32	Fb	Fripp-Baratari complex	Bohicket	2	Marshes	Yes	2B3, 3
Jasper County, South Carolina	32	Fb	Fripp-Baratari complex	Capers	2	Marshes	Yes	2B3, 3
Jasper County, South Carolina	34	HA	Handsboro soils	Handsboro	100	Marshes	Yes	1, 3, 4
Jasper County, South Carolina	35	HB	Hobonny soil	Hobonny	100	Flood plains	Yes	1, 3, 4
Jasper County, South Carolina	37	LE	Levy soils	Levy	100	Marshes	Yes	2B3, 3, 4
Jasper County, South Carolina	38	Ln	Lynchburg loamy fine sand	Pelham	5	Marine terraces	Yes	2B2
Jasper County, South Carolina	39	Ly	Lynn Haven fine sand	Lynn Haven	100	Marine terraces	Yes	2B1, 2B2
Jasper County, South Carolina	46	Oe	Okeetee fine sandy loam	Argent	4	Marine terraces	Yes	2B3
Jasper County, South Carolina	47	OK	Okeetee-Eulonia association	Argent	2	Marine terraces	Yes	2B3
Jasper County, South Carolina	47	OK	Okeetee-Eulonia association	Yonges	2	Marine terraces	Yes	2B3
Jasper County, South Carolina	48	On	Onslow loamy fine sand	Pelham	5	Marine terraces	Yes	2B2
Jasper County, South Carolina	49	Os	Osier loamy sand	Osier	100	Marine terraces	Yes	2B2

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Jasper County, South Carolina	50	Pa	Paxville fine sandy loam	Paxville	100	Marine terraces	Yes	2B3, 3
Jasper County, South Carolina	51	PB	Paxville association	Paxville	100	Marine terraces	Yes	2B3, 3
Jasper County, South Carolina	52	Pe	Pelham loamy sand	Pelham	100	Marine terraces	Yes	2B2
Jasper County, South Carolina	53	Pk	Pickney loamy fine sand	Pickney	100	Flood plains	Yes	2B2, 3
Jasper County, South Carolina	54	Po	Polawana loamy fine sand	Pickney	100	Flood plains	Yes	2B2, 3
Jasper County, South Carolina	55	Ra	Rains fine sandy loam	Rains	100	Marine terraces	Yes	2B3
Jasper County, South Carolina	56	RB	Rains association	Rains	100	Marine terraces	Yes	2B3
Jasper County, South Carolina	57	RC	Rains-Lynchburg association	Rains	45	Marine terraces	Yes	2B3
Jasper County, South Carolina	57	RC	Rains-Lynchburg association	Pelham	5	Marine terraces	Yes	2B2
Jasper County, South Carolina	57	RC	Rains-Lynchburg association	Paxville	5	Marine terraces	Yes	2B3, 3
Jasper County, South Carolina	58	Rd	Ridgeland fine sand	Pickney	2	Flood plains	Yes	2B2, 3
Jasper County, South Carolina	59	Sa	Santee fine sandy loam	Santee	100	Marine terraces	Yes	2B3, 3
Jasper County, South Carolina	60	SE	Santee association	Santee	100	Marine terraces	Yes	2B3, 3
Jasper County, South Carolina	61	Sk	Seabrook fine sand	Pickney	4	Flood plains	Yes	2B2, 3
Jasper County, South Carolina	62	Sw	Seewee fine sand	Pickney	3	Flood plains	Yes	2B2, 3
Jasper County, South Carolina	62	Sw	Seewee fine sand	Lynn Haven	2	Marine terraces	Yes	2B1, 2B2
Jasper County, South Carolina	63	TC	Tawcaw-Chastain association	Tawcaw	55	Flood plains	Yes	4

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Jasper County, South Carolina	63	TC	Tawcaw-Chastain association	Chastain	40	Flood plains	Yes	2B3, 4
Jasper County, South Carolina	64	To	Tomotley loamy fine sand	Ogeechee	100	Marine terraces	Yes	2B3
Jasper County, South Carolina	67	Wa	Wahee fine sandy loam	Bladen	5	Marine terraces	Yes	2B3
Jasper County, South Carolina	69	Wn	Williman loamy fine sand	Williman	100	Marine terraces	Yes	2B3
Jasper County, South Carolina	70	Ye	Yemassee loamy fine sand	Ogeechee	2	Marine terraces	Yes	2B3
Jasper County, South Carolina	70	Ye	Yemassee loamy fine sand	Williman	2	Marine terraces	Yes	2B3
Jasper County, South Carolina	71	Yo	Yonges loamy fine sand	Yonges	100	Marine terraces	Yes	2B3
Jasper County, South Carolina	72	YR	Yonges-Argent association	Yonges	60	Marine terraces	Yes	2B3
Jasper County, South Carolina	72	YR	Yonges-Argent association	Argent	30	Marine terraces	Yes	2B3
Lancaster County, South Carolina	18	Ch	Chewacla soils	Wehadkee	5	Flood plains	Yes	2B3
Lancaster County, South Carolina	83	Ru	Rutlege loamy sand	Rutlege	100	Depressions, Flood plains	Yes	2B2, 3
Lancaster County, South Carolina	96	We	Wehadkee and chewacla soils	Wehadkee	55	Flood plains	Yes	2B3
Lancaster County, South Carolina	103	Wo	Worsham fine sandy loam	Worsham	100	Depressions	Yes	2B3
Laurens County, South Carolina	0	ApB	Appling loamy sand, 2 to 6 percent slopes	Worsham	5	Flood plains	Yes	2B3
Laurens County, South Carolina	1	ApC	Appling loamy sand, 6 to 10 percent slopes	Worsham	5	Flood plains	Yes	2B3
Laurens County, South Carolina	2	Ca	Cartecay-Toccoa complex	Enoree	5	Flood plains	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Laurens County, South Carolina	12	Cn	Chewacla loam	Worsham	2	Flood plains	Yes	2B3
Laurens County, South Carolina	12	Cn	Chewacla loam	Enoree	3	Flood plains	Yes	2B3
Laurens County, South Carolina	13	Cw	Chewacla and Worsham soils	Worsham	40	Flood plains	Yes	2B3
Laurens County, South Carolina	13	Cw	Chewacla and Worsham soils	Enoree	5	Flood plains	Yes	2B3
Laurens County, South Carolina	14	CxB	Colfax loamy sand, 1 to 4 percent slopes	Worsham	5	Flood plains	Yes	2B3
Laurens County, South Carolina	22	Eo	Enoree soils	Enoree	100	Flood plains	Yes	2B3
Lee County, South Carolina	1	AcC	Ailey-Troup-Vaucluse complex, 6 to 10 percent slopes	Johnston	4	Swamps	Yes	2B3, 4
Lee County, South Carolina	2	AeD	Ailey-Vaucluse-Troup complex, 10 to 15 percent slopes	Johnston	8	Swamps	Yes	2B3, 4
Lee County, South Carolina	14	CcA	Chastain-Chewacla complex, 0 to 2 percent slopes, frequently flooded	Chastain	72	Flood plains	Yes	2B3, 4
Lee County, South Carolina	15	ChA	Chewacla-Chastain complex, 0 to 2 percent slopes, frequently flooded	Chastain	21	Flood plains	Yes	2B3, 4
Lee County, South Carolina	16	CwD	Cowarts loamy sand, 10 to 15 percent slopes	Johnston	4	Swamps	Yes	2B3, 4

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydric rating	hydric criteria
Lee County, South Carolina	17	CxA	Coxville sandy loam, 0 to 2 percent slopes	Coxville	96	Carolina bays, Depressions, Depressions	Yes	2B3
Lee County, South Carolina	17	CxA	Coxville sandy loam, 0 to 2 percent slopes	Rains	4	Carolina bays, Depressions	Yes	2B3
Lee County, South Carolina	18	DaA	Dorovan silty clay loam, overwash, 0 to 2 percent slopes, frequently flooded	Dorovan	85	Swamps	Yes	1, 4
Lee County, South Carolina	18	DaA	Dorovan silty clay loam, overwash, 0 to 2 percent slopes, frequently flooded	Johnston	15	Swamps	Yes	2B3, 4
Lee County, South Carolina	22	EuA	Eunola sandy loam, 0 to 2 percent slopes, rarely flooded	Myatt	10	Stream terraces	Yes	2B3
Lee County, South Carolina	28	GoA	Goldsboro sandy loam, 0 to 2 percent slopes	Rains	5	Carolina bays, Depressions	Yes	2B3
Lee County, South Carolina	29	JhA	Johns loamy sand, 0 to 2 percent slopes, rarely flooded	Lumbee	4	Stream terraces	Yes	2B3
Lee County, South Carolina	30	JoA	Johnston muck, 0 to 2 percent slopes, frequently flooded	Johnston	100	Swamps	Yes	2B3, 4
Lee County, South Carolina	31	JzA	Johnston-Mouzon complex, 0 to 2 percent slopes, frequently flooded	Mouzon	40	Stream terraces	Yes	2B3, 4

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydric rating	hydric criteria
Lee County, South Carolina	31	JzA	Johnston-Mouzon complex, 0 to 2 percent slopes, frequently flooded	Johnston	60	Swamps	Yes	2B3, 4
Lee County, South Carolina	32	KaA	Kalmia loamy sand, wet substratum, 0 to 2 percent slopes, rarely flooded	Lumbee	7	Stream terraces	Yes	2B3
Lee County, South Carolina	37	LuA	Lumbee sandy loam, 0 to 2 percent slopes, rarely flooded	Lumbee	80	Stream terraces	Yes	2B3
Lee County, South Carolina	37	LuA	Lumbee sandy loam, 0 to 2 percent slopes, rarely flooded	Myatt	15	Stream terraces	Yes	2B3
Lee County, South Carolina	38	LyA	Lynchburg sandy loam, 0 to 2 percent slopes	Rains	6	Carolina bays, Depressions	Yes	2B3
Lee County, South Carolina	41	MeA	Meggett sandy loam, 0 to 2 percent slopes, occasionally flooded	Lumbee	5	Stream terraces	Yes	2B3
Lee County, South Carolina	41	MeA	Meggett sandy loam, 0 to 2 percent slopes, occasionally flooded	Meggett	95	Stream terraces	Yes	2B3
Lee County, South Carolina	42	MyA	Myatt-Paxville complex, 0 to 2 percent slopes, occasionally flooded	Myatt	50	Stream terraces	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Lee County, South Carolina	42	MyA	Myatt-Paxville complex, 0 to 2 percent slopes, occasionally flooded	Paxville	40	Stream terraces	Yes	2B3
Lee County, South Carolina	42	MyA	Myatt-Paxville complex, 0 to 2 percent slopes, occasionally flooded	Lumbee	10	Stream terraces	Yes	2B3
Lee County, South Carolina	48	NnA	Noboco-Goldsboro complex, 0 to 2 percent slopes	Rains	4	Carolina bays, Depressions	Yes	2B3
Lee County, South Carolina	49	NoA	Norfolk loamy sand, 0 to 2 percent slopes	Rains	5	Carolina bays, Depressions	Yes	2B3
Lee County, South Carolina	51	OkA	Okeetee fine sandy loam, 0 to 2 percent slopes, rarely flooded	Meggett	10	Stream terraces	Yes	2B3
Lee County, South Carolina	55	PaA	Paxville coarse sandy loam, 0 to 2 percent slopes, occasionally flooded	Paxville	80	Stream terraces	Yes	2B3
Lee County, South Carolina	55	PaA	Paxville coarse sandy loam, 0 to 2 percent slopes, occasionally flooded	Myatt	15	Stream terraces	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Lee County, South Carolina	55	PaA	Paxville coarse sandy loam, 0 to 2 percent slopes, occasionally flooded	Lumbee	5	Stream terraces	Yes	2B3
Lee County, South Carolina	56	PeA	Pelion loamy sand, 0 to 2 percent slopes	Myatt	2	Stream terraces	Yes	2B3
Lee County, South Carolina	59	RaA	Rains sandy loam, 0 to 2 percent slopes	Rains	89	Carolina bays, Depressions	Yes	2B3
Lee County, South Carolina	59	RaA	Rains sandy loam, 0 to 2 percent slopes	Myatt	4	Stream terraces	Yes	2B3
Lee County, South Carolina	59	RaA	Rains sandy loam, 0 to 2 percent slopes	Coxville	7	Carolina bays, Depressions, Depressions	Yes	2B3
Lee County, South Carolina	60	SmA	Smithboro sandy loam, 0 to 2 percent slopes	Coxville	10	Carolina bays, Depressions, Depressions	Yes	2B3
Lee County, South Carolina	61	StA	State-Eunola complex, 0 to 2 percent slopes, rarely flooded	Myatt	2	Stream terraces	Yes	2B3
Lee County, South Carolina	67	VaC	Vaucluse loamy sand, 6 to 10 percent slopes	Johnston	4	Swamps	Yes	2B3, 4
Lexington County, South Carolina	8	BrA	Brogdon loamy sand, 0 to 2 percent slopes	Rains	2	Depressions	Yes	2B3
Lexington County, South Carolina	8	BrA	Brogdon loamy sand, 0 to 2 percent slopes	Lumbee	2	Depressions	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Lexington County, South Carolina	14	Ch	Chenneby silty clay loam	Paleaquults	5	Depressions	Yes	2B3
Lexington County, South Carolina	15	Ck	Chenneby soils	Paleaquults	5	Depressions	Yes	2B3
Lexington County, South Carolina	16	Co	Congaree silt loam	Enoree	4	Depressions	Yes	2B3
Lexington County, South Carolina	19	CvA	Craven fine sandy loam, 0 to 2 percent slopes	Rains	4	Depressions	Yes	2B3
Lexington County, South Carolina	25	Eo	Enoree soils	Enoree	100	Depressions	Yes	2B3
Lexington County, South Carolina	31	GoA	Goldsboro sandy loam, 0 to 2 percent slopes	Rains	2	Depressions	Yes	2B3
Lexington County, South Carolina	31	GoA	Goldsboro sandy loam, 0 to 2 percent slopes	Lumbee	2	Depressions	Yes	2B3
Lexington County, South Carolina	31	GoA	Goldsboro sandy loam, 0 to 2 percent slopes	Johnston	2	Flood plains	Yes	2B3, 3, 4
Lexington County, South Carolina	36	JO	Johnston soils	Johnston	100	Flood plains	Yes	2B3, 3, 4
Lexington County, South Carolina	43	Lw	Lumbee sandy loam	Lumbee	100	Depressions	Yes	2B3
Lexington County, South Carolina	44	Ly	Lynn Haven loamy sand	Lynn Haven	100	Depressions	Yes	2B3
Lexington County, South Carolina	52	Pa	Paleaquults, sandy	Paleaquults	100	Depressions	Yes	2B3
Lexington County, South Carolina	58	Ra	Rains sandy loam	Rains	100	Depressions	Yes	2B3
Lexington County, South Carolina	61	To	Toccoa fine sandy loam	Enoree	4	Depressions	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydric rating	hydric criteria
Lexington County, South Carolina	68	WaB	Wahee sandy loam, 0 to 4 percent slopes	Rains	2	Depressions	Yes	2B3
Lexington County, South Carolina	68	WaB	Wahee sandy loam, 0 to 4 percent slopes	Lumbee	2	Depressions	Yes	2B3
McCormick County, South Carolina	3	Ca	Cartecay and Toccoa soils	Wehadkee	5	Flood plains	Yes	2B3
McCormick County, South Carolina	14	Cn	Chewacla loam	Wehadkee	5	Flood plains	Yes	2B3
McCormick County, South Carolina	50	We	Wehadkee soils	Wehadkee	100	Flood plains	Yes	2B3
McCormick County, South Carolina	53	WoB	Worsham loam, 1 to 4 percent slopes	Worsham	100	Drainageways	Yes	2B3
Marion County, South Carolina	3	By	Byars loam	Byars	100	Marine terraces	Yes	2B3, 3
Marion County, South Carolina	5	Cn	Cantey loam	Cantey	100	Depressions, Marine terraces	Yes	2B3
Marion County, South Carolina	6	Ct	Centenary sand	Leon	2	Depressions, Marine terraces	Yes	2B3
Marion County, South Carolina	7	Cx	Coxville fine sandy loam	Coxville	100	Flats, Marine terraces	Yes	2B3
Marion County, South Carolina	10	Dn	Dunbar loamy sand	Byars	2	Marine terraces	Yes	2B3, 3
Marion County, South Carolina	10	Dn	Dunbar loamy sand	Coxville	2	Flats, Marine terraces	Yes	2B3
Marion County, South Carolina	10	Dn	Dunbar loamy sand	Pantego	2	Depressions, Drainageways, Flats, Marine terraces	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Marion County, South Carolina	10	Dn	Dunbar loamy sand	Rains	2	Depressions, Flats, Marine terraces	Yes	2B3
Marion County, South Carolina	11	DuA	Duplin fine sandy loam, 0 to 2 percent slopes	Coxville	2	Flats, Marine terraces	Yes	2B3
Marion County, South Carolina	11	DuA	Duplin fine sandy loam, 0 to 2 percent slopes	Rains	2	Depressions, Flats, Marine terraces	Yes	2B3
Marion County, South Carolina	12	EuA	Eunola loamy sand, 0 to 2 percent slopes	Cantey	1	Depressions, Marine terraces	Yes	2B3
Marion County, South Carolina	16	GoA	Goldsboro loamy fine sand, 0 to 2 percent slopes	Coxville	2	Flats, Marine terraces	Yes	2B3
Marion County, South Carolina	16	GoA	Goldsboro loamy fine sand, 0 to 2 percent slopes	Pantego	2	Depressions, Drainageways, Flats, Marine terraces	Yes	2B3
Marion County, South Carolina	16	GoA	Goldsboro loamy fine sand, 0 to 2 percent slopes	Rains	2	Depressions, Flats, Marine terraces	Yes	2B3
Marion County, South Carolina	18	JN	Johnston association, frequently flooded	Johnston	100	Drainageways, Flood plains	Yes	2B3, 3, 4
Marion County, South Carolina	21	Le	Leon sand	Leon	100	Depressions, Marine terraces	Yes	2B3
Marion County, South Carolina	22	Lm	Lumbee sandy loam	Lumbee	100	Depressions	Yes	2B3
Marion County, South Carolina	23	Ln	Lynchburg sandy loam	Coxville	2	Flats, Marine terraces	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydric rating	hydric criteria
Marion County, South Carolina	23	Ln	Lynchburg sandy loam	Pantego	2	Depressions, Drainageways, Flats, Marine terraces	Yes	2B3
Marion County, South Carolina	23	Ln	Lynchburg sandy loam	Rains	2	Depressions, Flats, Marine terraces	Yes	2B3
Marion County, South Carolina	24	Ly	Lynn Haven sand	Lynn Haven	100	Depressions, Flats	Yes	2B1
Marion County, South Carolina	25	Os	Osier loamy sand	Osier	100	Depressions, Drainageways, Stream terraces	Yes	2B2
Marion County, South Carolina	26	Pa	Pantego loam	Pantego	100	Depressions, Drainageways, Flats, Marine terraces	Yes	2B3
Marion County, South Carolina	27	Pb	Paxville loam	Paxville	100	Depressions, Drainageways, Flats, Marine terraces	Yes	2B3, 3
Marion County, South Carolina	28	PeA	Persanti fine sandy loam, 0 to 2 percent slopes	Coxville	2	Flats, Marine terraces	Yes	2B3
Marion County, South Carolina	28	PeA	Persanti fine sandy loam, 0 to 2 percent slopes	Rains	2	Depressions, Flats, Marine terraces	Yes	2B3
Marion County, South Carolina	28	PeA	Persanti fine sandy loam, 0 to 2 percent slopes	Cantey	1	Depressions, Marine terraces	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Marion County, South Carolina	31	PZ	Ponzer soils	Ponzer	100	Depressions, Drainageways	Yes	1
Marion County, South Carolina	32	Ra	Rains sandy loam	Rains	100	Depressions, Flats, Marine terraces	Yes	2B3
Marion County, South Carolina	33	RnB	Rimini sand, 0 to 6 percent slopes	Leon	2	Depressions, Marine terraces	Yes	2B3
Marion County, South Carolina	34	Ru	Rutlege loamy sand	Rutlege	100	Depressions, Drainageways, Flats	Yes	2B2, 3
Marion County, South Carolina	35	Sm	Smithboro silt loam	Coxville	2	Flats, Marine terraces	Yes	2B3
Marion County, South Carolina	35	Sm	Smithboro silt loam	Cantey	1	Depressions, Marine terraces	Yes	2B3
Marion County, South Carolina	36	SuA	Summerton fine sandy loam, 0 to 2 percent slopes	Coxville	2	Flats, Marine terraces	Yes	2B3
Marion County, South Carolina	36	SuA	Summerton fine sandy loam, 0 to 2 percent slopes	Cantey	2	Depressions, Marine terraces	Yes	2B3
Marion County, South Carolina	36	SuA	Summerton fine sandy loam, 0 to 2 percent slopes	Paxville	2	Depressions, Drainageways, Flats, Marine terraces	Yes	2B3, 3
Marion County, South Carolina	39	TC	Tawcaw-Chastain association, frequently flooded	Chastain	40	Flood plains	Yes	2B3
Marlboro County, South Carolina	0	AaB	Ailey sand, moderately wet, 0 to 6 percent slopes	Johnston	2	Flood plains	Yes	2B2, 3, 4

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Marlboro County, South Carolina	1	AeC	Ailey loamy sand, 6 to 10 percent slopes	Johnston	2	Flood plains	Yes	2B2, 3, 4
Marlboro County, South Carolina	2	AeD	Ailey loamy sand, 10 to 15 percent slopes	Johnston	2	Flood plains	Yes	2B2, 3, 4
Marlboro County, South Carolina	3	AgD	Ailey gravelly loamy sand, 6 to 15 percent slopes	Johnston	2	Flood plains	Yes	2B2, 3, 4
Marlboro County, South Carolina	4	AgE	Ailey gravelly loamy sand, 15 to 25 percent slopes	Johnston	2	Flood plains	Yes	2B2, 3, 4
Marlboro County, South Carolina	7	ApC	Alpin sand, 6 to 10 percent slopes	Johnston	2	Flood plains	Yes	2B2, 3, 4
Marlboro County, South Carolina	8	AuB	Autryville sand, 0 to 6 percent slopes	Coxville	2	Depressions	Yes	2B2
Marlboro County, South Carolina	8	AuB	Autryville sand, 0 to 6 percent slopes	Rains	2	Flats	Yes	2B3
Marlboro County, South Carolina	11	BnB	Blanton sand, 0 to 6 percent slopes	Coxville	2	Depressions	Yes	2B2
Marlboro County, South Carolina	11	BnB	Blanton sand, 0 to 6 percent slopes	Rains	2	Flats	Yes	2B3
Marlboro County, South Carolina	12	BnC	Blanton sand, 6 to 10 percent slopes	Coxville	2	Depressions	Yes	2B2
Marlboro County, South Carolina	12	BnC	Blanton sand, 6 to 10 percent slopes	Rains	2	Flats	Yes	2B3
Marlboro County, South Carolina	13	BoB	Bonneau sand, 0 to 4 percent slopes	Coxville	2	Depressions	Yes	2B2
Marlboro County, South Carolina	13	BoB	Bonneau sand, 0 to 4 percent slopes	Rains	2	Flats	Yes	2B3
Marlboro County, South Carolina	14	By	Byars loam	Byars	95	Depressions, Flats	Yes	2B2, 4
Marlboro County, South Carolina	15	CaB	Candor sand, 0 to 6 percent slopes	Johnston	2	Flood plains	Yes	2B2, 3, 4

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Marlboro County, South Carolina	16	CaC	Candor sand, 6 to 10 percent slopes	Johnston	2	Flood plains	Yes	2B2, 3, 4
Marlboro County, South Carolina	16	CaC	Candor sand, 6 to 10 percent slopes	Pamlico	2	Flood plains	Yes	1, 3, 4
Marlboro County, South Carolina	17	CaD	Candor sand, 10 to 15 percent slopes	Johnston	2	Flood plains	Yes	2B2, 3, 4
Marlboro County, South Carolina	17	CaD	Candor sand, 10 to 15 percent slopes	Pamlico	2	Flood plains	Yes	1, 3, 4
Marlboro County, South Carolina	19	Ce	Chastain-Chenneby complex, frequently flooded	Chastain	65	Flood plains	Yes	2B2, 4
Marlboro County, South Carolina	19	Ce	Chastain-Chenneby complex, frequently flooded	Chenneby	25	Flood plains	Yes	
Marlboro County, South Carolina	20	Ch	Chenneby silt loam, occasionally flooded	Chastain	5	Flood plains	Yes	2B2, 4
Marlboro County, South Carolina	21	CkA	Chewacla loam, 0 to 2 percent slopes, frequently flooded	Chastain	5	Flood plains	Yes	2B2, 4
Marlboro County, South Carolina	25	CoC	Cowarts loamy sand, 6 to 10 percent slopes	Johnston	2	Flood plains	Yes	2B2, 3, 4
Marlboro County, South Carolina	25	CoC	Cowarts loamy sand, 6 to 10 percent slopes	Pamlico	2	Flood plains	Yes	1, 3, 4
Marlboro County, South Carolina	26	CoD	Cowarts loamy sand, 10 to 15 percent slopes	Johnston	2	Flood plains	Yes	2B2, 3, 4
Marlboro County, South Carolina	26	CoD	Cowarts loamy sand, 10 to 15 percent slopes	Pamlico	2	Flood plains	Yes	1, 3, 4

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Marlboro County, South Carolina	27	CwC	Cowarts gravelly loamy sand, 6 to 10 percent slopes	Johnston	2	Flood plains	Yes	2B2, 3, 4
Marlboro County, South Carolina	27	CwC	Cowarts gravelly loamy sand, 6 to 10 percent slopes	Pamlico	2	Flood plains	Yes	1, 3, 4
Marlboro County, South Carolina	28	CwD	Cowarts gravelly loamy sand, 10 to 15 percent slopes	Johnston	2	Flood plains	Yes	2B2, 3, 4
Marlboro County, South Carolina	28	CwD	Cowarts gravelly loamy sand, 10 to 15 percent slopes	Pamlico	2	Flood plains	Yes	1, 3, 4
Marlboro County, South Carolina	29	CwE	Cowarts gravelly loamy sand, 15 to 25 percent slopes	Johnston	2	Flood plains	Yes	2B2, 3, 4
Marlboro County, South Carolina	29	CwE	Cowarts gravelly loamy sand, 15 to 25 percent slopes	Pamlico	2	Flood plains	Yes	1, 3, 4
Marlboro County, South Carolina	30	Cx	Coxville loam	Coxville	95	Depressions	Yes	2B2
Marlboro County, South Carolina	33	EmB2	Emporia sandy loam, 2 to 6 percent slopes, eroded	Ogeechee	2	Flats	Yes	2B2
Marlboro County, South Carolina	34	EuA	Eunola loamy sand, 0 to 2 percent slopes	Ogeechee	2	Flats	Yes	2B2
Marlboro County, South Carolina	35	FaA	Faceville loamy sand, 0 to 2 percent slopes	Coxville	2	Depressions	Yes	2B2
Marlboro County, South Carolina	35	FaA	Faceville loamy sand, 0 to 2 percent slopes	McColl	2	Carolina bays	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Marlboro County, South Carolina	36	FaB	Faceville loamy sand, 2 to 6 percent slopes	Coxville	2	Depressions	Yes	2B2
Marlboro County, South Carolina	36	FaB	Faceville loamy sand, 2 to 6 percent slopes	McColl	2	Carolina bays	Yes	2B3
Marlboro County, South Carolina	37	FaB2	Faceville sandy clay loam, 2 to 6 percent slopes, eroded	Coxville	2	Depressions	Yes	2B2
Marlboro County, South Carolina	37	FaB2	Faceville sandy clay loam, 2 to 6 percent slopes, eroded	McColl	2	Carolina bays	Yes	2B3
Marlboro County, South Carolina	39	GoA	Goldsboro loamy sand, 0 to 2 percent slopes	Coxville	2	Depressions	Yes	2B2
Marlboro County, South Carolina	39	GoA	Goldsboro loamy sand, 0 to 2 percent slopes	Rains	2	Flats	Yes	2B3
Marlboro County, South Carolina	41	HnB	Hornsville loam, 2 to 6 percent slopes	Ogeechee	2	Flats	Yes	2B2
Marlboro County, South Carolina	42	HnB2	Hornsville sandy clay loam, 2 to 6 percent slopes, eroded	Ogeechee	2	Flats	Yes	2B2
Marlboro County, South Carolina	43	Jo	Johnston mucky loam, frequently flooded	Johnston	95	Flood plains	Yes	2B2, 3, 4
Marlboro County, South Carolina	43	Jo	Johnston mucky loam, frequently flooded	Pamlico	2	Flood plains	Yes	1, 3, 4
Marlboro County, South Carolina	44	Kn	Kinston loam, frequently flooded	Kinston	95	Flood plains	Yes	2B2

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydric rating	hydric criteria
Marlboro County, South Carolina	45	Le	Leon sand	Leon	100	Depressions	Yes	2B3
Marlboro County, South Carolina	47	Ly	Lynchburg sandy loam	Coxville	2	Depressions	Yes	2B2
Marlboro County, South Carolina	47	Ly	Lynchburg sandy loam	Rains	2	Flats	Yes	2B3
Marlboro County, South Carolina	49	MaB	Marlboro fine sandy loam, moderately wet, 2 to 6 percent slopes	Coxville	2	Depressions	Yes	2B2
Marlboro County, South Carolina	49	MaB	Marlboro fine sandy loam, moderately wet, 2 to 6 percent slopes	McColl	2	Carolina bays	Yes	2B3
Marlboro County, South Carolina	50	Mc	McColl loam	McColl	95	Carolina bays	Yes	2B3
Marlboro County, South Carolina	51	NaB	Nankin loamy fine sand, 2 to 6 percent slopes	Johnston	2	Flood plains	Yes	2B2, 3, 4
Marlboro County, South Carolina	52	NbB2	Nankin sandy clay loam, 2 to 6 percent slopes, eroded	Johnston	2	Flood plains	Yes	2B2, 3, 4
Marlboro County, South Carolina	53	NbC2	Nankin sandy clay loam, 6 to 10 percent slopes, eroded	Johnston	2	Flood plains	Yes	2B2, 3, 4
Marlboro County, South Carolina	54	NcA	Noboco loamy sand, 0 to 2 percent slopes	Coxville	2	Depressions	Yes	2B2
Marlboro County, South Carolina	54	NcA	Noboco loamy sand, 0 to 2 percent slopes	Rains	2	Flats	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydric rating	hydric criteria
Marlboro County, South Carolina	54	NcA	Noboco loamy sand, 0 to 2 percent slopes	McColl	2	Carolina bays	Yes	2B3
Marlboro County, South Carolina	55	NcB	Noboco loamy sand, 2 to 6 percent slopes	Coxville	2	Depressions	Yes	2B2
Marlboro County, South Carolina	55	NcB	Noboco loamy sand, 2 to 6 percent slopes	Rains	2	Flats	Yes	2B3
Marlboro County, South Carolina	55	NcB	Noboco loamy sand, 2 to 6 percent slopes	McColl	2	Carolina bays	Yes	2B3
Marlboro County, South Carolina	56	NcB2	Noboco sandy loam, 2 to 6 percent slopes, eroded	Coxville	2	Depressions	Yes	2B2
Marlboro County, South Carolina	56	NcB2	Noboco sandy loam, 2 to 6 percent slopes, eroded	Rains	2	Flats	Yes	2B3
Marlboro County, South Carolina	56	NcB2	Noboco sandy loam, 2 to 6 percent slopes, eroded	McColl	2	Carolina bays	Yes	2B3
Marlboro County, South Carolina	57	NoA	Norfolk loamy sand, 0 to 2 percent slopes	Coxville	2	Depressions	Yes	2B2
Marlboro County, South Carolina	57	NoA	Norfolk loamy sand, 0 to 2 percent slopes	Rains	2	Flats	Yes	2B3
Marlboro County, South Carolina	57	NoA	Norfolk loamy sand, 0 to 2 percent slopes	McColl	2	Carolina bays	Yes	2B3
Marlboro County, South Carolina	58	NoB	Norfolk loamy sand, 2 to 6 percent slopes	Coxville	2	Depressions	Yes	2B2

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydraulic rating	hydraulic criteria
Marlboro County, South Carolina	58	NoB	Norfolk loamy sand, 2 to 6 percent slopes	Rains	2	Flats	Yes	2B3
Marlboro County, South Carolina	58	NoB	Norfolk loamy sand, 2 to 6 percent slopes	McColl	2	Carolina bays	Yes	2B3
Marlboro County, South Carolina	59	NrB2	Norfolk sandy clay loam, 2 to 6 percent slopes, eroded	Coxville	2	Depressions	Yes	2B2
Marlboro County, South Carolina	59	NrB2	Norfolk sandy clay loam, 2 to 6 percent slopes, eroded	Rains	2	Flats	Yes	2B3
Marlboro County, South Carolina	59	NrB2	Norfolk sandy clay loam, 2 to 6 percent slopes, eroded	McColl	2	Carolina bays	Yes	2B3
Marlboro County, South Carolina	60	OcB	Ocilla sand, 0 to 4 percent slopes	Rains	2	Flats	Yes	2B3
Marlboro County, South Carolina	61	Og	Ogeechee sandy loam	Ogeechee	95	Flats	Yes	2B2
Marlboro County, South Carolina	63	Pa	Pamlico muck, frequently flooded	Pamlico	95	Flood plains	Yes	1, 3, 4
Marlboro County, South Carolina	64	Pe	Paxville fine sandy loam	Paxville	95	Flood plains	Yes	2B2, 3
Marlboro County, South Carolina	66	PnB	Pelion loamy sand, 2 to 6 percent slopes	Ogeechee	2	Flats	Yes	2B2
Marlboro County, South Carolina	69	Ra	Rains sandy loam	Rains	95	Flats	Yes	2B3
Marlboro County, South Carolina	70	Rv	Riverview fine sandy loam, occasionally flooded	Chastain	5	Flood plains	Yes	2B2, 4
Marlboro County, South Carolina	71	Sm	Smithboro silt loam	Coxville	2	Depressions	Yes	2B2

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydric rating	hydric criteria
Marlboro County, South Carolina	72	TbB	Tarboro sand, 0 to 4 percent slopes	Chastain	5	Flood plains	Yes	2B2, 4
Marlboro County, South Carolina	73	TrB	Troup sand, 0 to 6 percent slopes	Johnston	2	Flood plains	Yes	2B2, 3, 4
Marlboro County, South Carolina	74	TrC	Troup sand, 6 to 10 percent slopes	Johnston	2	Flood plains	Yes	2B2, 3, 4
Marlboro County, South Carolina	75	UgB	Uchee sand, 0 to 6 percent slopes	Johnston	2	Flood plains	Yes	2B2, 3, 4
Marlboro County, South Carolina	76	UgC	Uchee sand, 6 to 10 percent slopes	Johnston	2	Flood plains	Yes	2B2, 3, 4
Marlboro County, South Carolina	78	UhC	Uchee gravelly sand, 6 to 10 percent slopes	Johnston	2	Flood plains	Yes	2B2, 3, 4
Newberry County, South Carolina	5	5A	Cartecay sandy loam, 0 to 2 percent slopes, occasionally flooded	poorly drained	5	Flood plains	Yes	2B3
Newberry County, South Carolina	16	13A	Chenneby silt loam, 0 to 2 percent slopes, occasionally flooded	poorly drained	5	Flood plains	Yes	2B3
Newberry County, South Carolina	48	CcA	Cartecay sandy loam, 0 to 2 percent slopes, frequently flooded	poorly drained	5	Flood plains	Yes	2B3
Newberry County, South Carolina	55	CnA	Chenneby silt loam, 0 to 2 percent slopes, frequently flooded	poorly drained	5	Flood plains	Yes	2B3
Newberry County, South Carolina	56	CyA	Chenneby silt loam, 0 to 2 percent slopes, ponded	Chenneby	75	Flood plains	Yes	3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Newberry County, South Carolina	91	WoA	Worsham loam, 0 to 2 percent slopes	Worsham	75	Depressions	Yes	2B3
Orangeburg County, South Carolina	1	AeC	Ailey sand, 6 to 10 percent slopes	Johnston	2	Flood plains	Yes	2B3, 4
Orangeburg County, South Carolina	4	ApC	Alpin sand, 6 to 10 percent slopes	Johnston	2	Flood plains	Yes	2B3, 4
Orangeburg County, South Carolina	5	Bb	Bibb sandy loam	Bibb	90	Flood plains, Marine terraces	Yes	2B3
Orangeburg County, South Carolina	5	Bb	Bibb sandy loam	Johnston	2	Flood plains	Yes	2B3, 4
Orangeburg County, South Carolina	8	BoB	Bonneau sand, 0 to 4 percent slopes	Coxville	2	Depressions	Yes	2B3
Orangeburg County, South Carolina	9	By	Byars loam	Byars	95	Depressions	Yes	2B3
Orangeburg County, South Carolina	9	By	Byars loam	Coxville	2	Depressions	Yes	2B3
Orangeburg County, South Carolina	10	CdA	Clarendon loamy sand, 0 to 2 percent slopes	Coxville	2	Depressions	Yes	2B3
Orangeburg County, South Carolina	11	Cx	Coxville sandy loam	Coxville	95	Depressions	Yes	2B3
Orangeburg County, South Carolina	11	Cx	Coxville sandy loam	Rains	2	Depressions, Marine terraces	Yes	2B3
Orangeburg County, South Carolina	13	DaB	Dothan loamy sand, 2 to 6 percent slopes	Coxville	2	Depressions	Yes	2B3
Orangeburg County, South Carolina	14	Dn	Dunbar sandy loam	Coxville	2	Depressions	Yes	2B3
Orangeburg County, South Carolina	16	Eo	Elloree loamy sand	Elloree	100	Flood plains	Yes	2B2

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydric rating	hydric criteria
Orangeburg County, South Carolina	18	FaB	Faceville loamy sand, 2 to 6 percent slopes	Coxville	2	Depressions	Yes	2B3
Orangeburg County, South Carolina	20	GoA	Goldsboro sandy loam, 0 to 2 percent slopes	Rains	2	Depressions, Marine terraces	Yes	2B3
Orangeburg County, South Carolina	21	Jo	Johns loamy sand	Johnston	2	Flood plains	Yes	2B3, 4
Orangeburg County, South Carolina	22	Js	Johnston sandy loam	Johnston	90	Flood plains	Yes	2B3, 4
Orangeburg County, South Carolina	22	Js	Johnston sandy loam	Lumbee	2	Flood plains	Yes	2B3, 4
Orangeburg County, South Carolina	25	Lm	Lumbee loamy sand	Lumbee	90	Depressions	Yes	2B3
Orangeburg County, South Carolina	25	Lm	Lumbee loamy sand	Johnston	2	Flood plains	Yes	2B3, 4
Orangeburg County, South Carolina	26	Lu	Lumbee loamy sand, frequently flooded	Lumbee	90	Flood plains	Yes	2B3, 4
Orangeburg County, South Carolina	26	Lu	Lumbee loamy sand, frequently flooded	Johnston	2	Flood plains	Yes	2B3, 4
Orangeburg County, South Carolina	27	Ly	Lynchburg fine sandy loam	Rains	2	Depressions, Marine terraces	Yes	2B3
Orangeburg County, South Carolina	28	Mo	Mouzon fine sandy loam	Mouzon	90	Flood plains	Yes	2B3, 4
Orangeburg County, South Carolina	28	Mo	Mouzon fine sandy loam	Lumbee	2	Flood plains	Yes	2B3, 4
Orangeburg County, South Carolina	32	NoA	Noboco loamy sand, 0 to 2 percent slopes	Coxville	2	Depressions	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydric rating	hydric criteria
Orangeburg County, South Carolina	33	NoB	Noboco loamy sand, 2 to 6 percent slopes	Coxville	2	Depressions	Yes	2B3
Orangeburg County, South Carolina	34	OcA	Ocilla loamy sand, 0 to 2 percent slopes	Pelham	2	Depressions, Marine terraces	Yes	2B2
Orangeburg County, South Carolina	38	Pa	Pantego fine sandy loam	Pantego	96	Depressions	Yes	2B3
Orangeburg County, South Carolina	38	Pa	Pantego fine sandy loam	Rains	2	Depressions, Marine terraces	Yes	2B3
Orangeburg County, South Carolina	39	Ph	Pelham loamy sand	Pelham	100	Depressions, Marine terraces	Yes	2B2
Orangeburg County, South Carolina	40	Ra	Rains sandy loam	Rains	100	Depressions, Marine terraces	Yes	2B3
Orangeburg County, South Carolina	42	Sa	Stallings loamy sand	Rains	2	Depressions, Marine terraces	Yes	2B3
Pickens County, South Carolina	13	Co	Chewacla soils, frequently flooded	Wet spot	10	Flood plains	Yes	4
Pickens County, South Carolina	68	WoB	Worsham sandy loam, 2 to 6 percent slopes	Wet spot	10	Flood plains	Yes	4
Richland County, South Carolina	3	Ca	Cantey loam	Cantey	100	Depressions, Flats, Marine terraces	Yes	2B3
Richland County, South Carolina	4	Cd	Chastain silty clay loam	Chastain	100	Flood plains	Yes	2B3
Richland County, South Carolina	5	Ce	Chewacla loam	Chastain	2	Flood plains	Yes	2B3
Richland County, South Carolina	6	CH	Chewacla soils	Chastain	5	Flood plains	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Richland County, South Carolina	6	CH	Chewacla soils	Johnston	2	Flood plains	Yes	2B3, 3, 4
Richland County, South Carolina	8	Co	Congaree loam	Chastain	2	Flood plains	Yes	2B3
Richland County, South Carolina	9	Cx	Coxville fine sandy loam	Coxville	100	Depressions, Flats, Marine terraces	Yes	2B3
Richland County, South Carolina	10	Dn	Dorovan muck	Dorovan	100	Flood plains	Yes	1, 3
Richland County, South Carolina	21	GoA	Goldsboro sandy loam, 0 to 2 percent slopes	Coxville	2	Depressions, Flats, Marine terraces	Yes	2B3
Richland County, South Carolina	21	GoA	Goldsboro sandy loam, 0 to 2 percent slopes	Rains	2	Depressions, Flats, Marine terraces	Yes	2B3
Richland County, South Carolina	25	Jo	Johnston loam	Johnston	100	Flood plains	Yes	2B3, 3, 4
Richland County, South Carolina	37	NoA	Norfolk loamy sand, 0 to 2 percent slopes	Coxville	2	Depressions, Flats, Marine terraces	Yes	2B3
Richland County, South Carolina	37	NoA	Norfolk loamy sand, 0 to 2 percent slopes	Rains	2	Depressions, Flats, Marine terraces	Yes	2B3
Richland County, South Carolina	38	NoB	Norfolk loamy sand, 2 to 6 percent slopes	Coxville	2	Depressions, Flats, Marine terraces	Yes	2B3
Richland County, South Carolina	38	NoB	Norfolk loamy sand, 2 to 6 percent slopes	Rains	2	Depressions, Flats, Marine terraces	Yes	2B3
Richland County, South Carolina	45	PeB	Pelion loamy sand, 2 to 6 percent slopes	Johnston	1	Flood plains	Yes	2B3, 3, 4

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Richland County, South Carolina	45	PeB	Pelion loamy sand, 2 to 6 percent slopes	Rains	2	Depressions, Flats, Marine terraces	Yes	2B3
Richland County, South Carolina	48	Ps	Persanti very fine sandy loam	Cantey	4	Depressions, Flats, Marine terraces	Yes	2B3
Richland County, South Carolina	49	Ra	Rains sandy loam	Rains	100	Depressions, Flats, Marine terraces	Yes	2B3
Richland County, South Carolina	50	Sm	Smithboro loam	Cantey	4	Depressions, Flats, Marine terraces	Yes	2B3
Richland County, South Carolina	52	Tc	Tawcaw silty clay loam	Chastain	5	Flood plains	Yes	2B3
Saluda County, South Carolina	24	Ck	Chewacla silt loam	Wehadkee	10	Flood plains	Yes	2B3
Saluda County, South Carolina	54	Gr	Grady loam	Rembert	100	Depressions	Yes	2B3
Saluda County, South Carolina	81	Mw	Mixed wet alluvial land	Wehadkee	5	Flood plains	Yes	2B3
Saluda County, South Carolina	102	We	Wehadkee silt loam	Wehadkee	5	Flood plains	Yes	2B3
Saluda County, South Carolina	107	WoB	Worsham sandy loam, 0 to 6 percent slopes	Wehadkee	5	Flood plains	Yes	2B3
Saluda County, South Carolina	108	WsB	Worsham silt loam, 0 to 6 percent slopes	Wehadkee	5	Flood plains	Yes	2B3
Spartanburg County, South Carolina	56	Mk	Mixed alluvial land, wet	Cartecay	50	Flood plains	Yes	4
Sumter County, South Carolina	0	Ba	Barth loamy sand	Rains	2	Carolina bays	Yes	2B3
Sumter County, South Carolina	3	Cf	Chastain soils, frequently flooded	Chastain	100	Flood plains	Yes	2B3, 4

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydric rating	hydric criteria
Sumter County, South Carolina	4	Cg	Chastain-Chewacla association, frequently flooded	Chastain	55	Flood plains	Yes	2B3, 4
Sumter County, South Carolina	5	Cm	Chewacla soils, frequently flooded	Chewacla	100	Flood plains	Yes	4
Sumter County, South Carolina	7	Cv	Coxville fine sandy loam	Coxville	100	Carolina bays	Yes	2B3
Sumter County, South Carolina	11	FaA	Faceville loamy sand, 0 to 2 percent slopes	Coxville	4	Carolina bays	Yes	2B3
Sumter County, South Carolina	14	Go	Goldsboro loamy sand	Rains	5	Carolina bays	Yes	2B3
Sumter County, South Carolina	15	Gp	Goldsboro loamy sand, moderately deep variant	Rains	4	Carolina bays	Yes	2B3
Sumter County, South Carolina	16	GrA	Greenville loamy sand, 0 to 2 percent slopes	Coxville	5	Carolina bays	Yes	2B3
Sumter County, South Carolina	21	Hy	Hyde loam	Hyde	100	Carolina bays	Yes	2B3
Sumter County, South Carolina	31	Ls	Leaf fine sandy loam	Cantey	100	Marine terraces	Yes	2B3
Sumter County, South Carolina	32	Lt	Lenoir loam	Coxville	5	Carolina bays	Yes	2B3
Sumter County, South Carolina	35	Ly	Lynchburg sandy loam	Rains	5	Carolina bays	Yes	2B3
Sumter County, South Carolina	37	Mc	McColl fine sandy loam	McColl	100	Carolina bays	Yes	2B3, 3
Sumter County, South Carolina	39	NoA	Norfolk loamy sand, 0 to 2 percent slopes	Rains	5	Carolina bays	Yes	2B3
Sumter County, South Carolina	40	NoB	Norfolk loamy sand, 2 to 6 percent slopes	Rains	5	Carolina bays	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydric rating	hydric criteria
Sumter County, South Carolina	46	Os	Osier loamy sand	Osier	100	Swamps	Yes	2B2, 3
Sumter County, South Carolina	47	Pa	Pantego loam	Pantego	100	Carolina bays	Yes	2B3
Sumter County, South Carolina	49	Po	Ponzer soils	Ponzer	100	Carolina bays	Yes	1
Sumter County, South Carolina	50	Ra	Rains sandy loam	Rains	100	Carolina bays	Yes	2B3
Sumter County, South Carolina	51	Rd	Rains sandy loam, moderately deep variant	Rains	100	Carolina bays	Yes	2B3
Sumter County, South Carolina	54	Rm	Rembert loam	Rembert	100	Carolina bays	Yes	2B3, 3
Sumter County, South Carolina	56	Ru	Rutlege loamy sand	Rutlege	100	Swamps	Yes	2B2, 3
Sumter County, South Carolina	58	Sw	Swamp	Johnston	100	Swamps	Yes	2B3, 3, 4
Sumter County, South Carolina	61	VaA	Varina loamy fine sand, 0 to 2 percent slopes	Rains	5	Carolina bays	Yes	2B3
Sumter County, South Carolina	68	WgB	Wagram sand, 0 to 6 percent slopes	Rains	5	Carolina bays	Yes	2B3
Sumter County, South Carolina	71	Wk	Wehadkee-Chastain association, frequently flooded	Wehadkee	70	Flood plains	Yes	2B3, 4
Sumter County, South Carolina	71	Wk	Wehadkee-Chastain association, frequently flooded	Chastain	30	Flood plains	Yes	2B3, 4
Union County, South Carolina	0	ApB	Appling loamy sand, 2 to 6 percent slopes	Worsham	4	Flood plains	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Union County, South Carolina	1	ApC	Appling loamy sand, 6 to 10 percent slopes	Worsham	4	Flood plains	Yes	2B3
Union County, South Carolina	3	Ca	Cartecay-Toccoa complex	Worsham	2	Flood plains	Yes	2B3
Union County, South Carolina	3	Ca	Cartecay-Toccoa complex	Wehadkee	3	Flood plains	Yes	2B3
Union County, South Carolina	13	Cw	Chewacla and Worsham soils	Worsham	40	Flood plains	Yes	2B3
Union County, South Carolina	13	Cw	Chewacla and Worsham soils	Wehadkee	5	Flood plains	Yes	2B3
Union County, South Carolina	44	Wc	Wehadkee-Chewacla complex	Wehadkee	55	Flood plains	Yes	2B3
Williamsburg County, South Carolina	0	AuA	Autryville sand, 0 to 2 percent slopes	Paxville	4	Marine terraces	Yes	2B3, 3
Williamsburg County, South Carolina	1	BnA	Bonneau fine sand, 0 to 2 percent slopes	Rains	2	Flats, Marine terraces	Yes	2B3
Williamsburg County, South Carolina	1	BnA	Bonneau fine sand, 0 to 2 percent slopes	Leon	2	Marine terraces	Yes	2B3
Williamsburg County, South Carolina	2	By	Byars sandy loam	Byars	100	Marine terraces	Yes	2B3, 3
Williamsburg County, South Carolina	3	CaA	Candor sand, 0 to 2 percent slopes	Rutlege	3	Flood plains	Yes	2B2, 3
Williamsburg County, South Carolina	4	CaB	Candor sand, 2 to 6 percent slopes	Hobcaw	3	Flood plains	Yes	2B3, 3
Williamsburg County, South Carolina	5	Cf	Cape Fear sandy loam	Cape Fear	100	Flats, Marine terraces	Yes	2B3
Williamsburg County, South Carolina	6	CH	Chastain and Tawcaw soils, frequently flooded	Chastain	55	Flood plains	Yes	2B3
Williamsburg County, South Carolina	7	CIA	Chipleys sand, 0 to 2 percent slopes	Leon	2	Marine terraces	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Williamsburg County, South Carolina	7	CIA	Chiplely sand, 0 to 2 percent slopes	Hobcaw	2	Flood plains	Yes	2B3, 3
Williamsburg County, South Carolina	7	CIA	Chiplely sand, 0 to 2 percent slopes	Johnston	2	Flood plains	Yes	2B3, 3, 4
Williamsburg County, South Carolina	7	CIA	Chiplely sand, 0 to 2 percent slopes	Mouzon	2	Flood plains	Yes	2B3
Williamsburg County, South Carolina	9	CmC	Chisolm loamy fine sand, 6 to 10 percent slopes	Hobcaw	1	Flood plains	Yes	2B3, 3
Williamsburg County, South Carolina	9	CmC	Chisolm loamy fine sand, 6 to 10 percent slopes	Mouzon	1	Flood plains	Yes	2B3
Williamsburg County, South Carolina	9	CmC	Chisolm loamy fine sand, 6 to 10 percent slopes	Chastain	1	Flood plains	Yes	2B3
Williamsburg County, South Carolina	9	CmC	Chisolm loamy fine sand, 6 to 10 percent slopes	Gourdin	1	Flats, Marine terraces	Yes	2B3, 3
Williamsburg County, South Carolina	10	Co	Coxville loam	Coxville	100	Flats, Marine terraces	Yes	2B3
Williamsburg County, South Carolina	11	Dv	Daleville variant loam	Daleville	100	Flats, Marine terraces	Yes	2B3
Williamsburg County, South Carolina	12	EmA	Emporia loamy sand, 0 to 2 percent slopes	Ogeechee	2	Flats, Marine terraces	Yes	2B3
Williamsburg County, South Carolina	14	EpB	Emporia loamy sand, gently undulating	Gourdin	3	Flats, Marine terraces	Yes	2B3, 3
Williamsburg County, South Carolina	14	EpB	Emporia loamy sand, gently undulating	Coxville	2	Flats, Marine terraces	Yes	2B3
Williamsburg County, South Carolina	15	EuA	Eunola loamy sand, 0 to 2 percent slopes	Gourdin	2	Flats, Marine terraces	Yes	2B3, 3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Williamsburg County, South Carolina	15	EuA	Eunola loamy sand, 0 to 2 percent slopes	Ogeechee	2	Flats, Marine terraces	Yes	2B3
Williamsburg County, South Carolina	16	FoA	Foreston fine sand, 0 to 2 percent slopes	Paxville	2	Marine terraces	Yes	2B3, 3
Williamsburg County, South Carolina	16	FoA	Foreston fine sand, 0 to 2 percent slopes	Leon	2	Marine terraces	Yes	2B3
Williamsburg County, South Carolina	16	FoA	Foreston fine sand, 0 to 2 percent slopes	Lynn Haven	2	Flats, Marine terraces	Yes	2B3
Williamsburg County, South Carolina	17	FxB	Foxworth sand, 0 to 6 percent slopes	Rutlege	2	Flood plains	Yes	2B2, 3
Williamsburg County, South Carolina	18	GoA	Goldsboro loamy fine sand, 0 to 2 percent slopes	Rains	2	Flats, Marine terraces	Yes	2B3
Williamsburg County, South Carolina	18	GoA	Goldsboro loamy fine sand, 0 to 2 percent slopes	Coxville	2	Flats, Marine terraces	Yes	2B3
Williamsburg County, South Carolina	19	Gu	Gourdin loam	Gourdin	100	Flats, Marine terraces	Yes	2B3, 3
Williamsburg County, South Carolina	20	Hb	Hobcaw sandy loam, frequently flooded	Hobcaw	100	Flood plains	Yes	2B3, 3
Williamsburg County, South Carolina	21	HvA	Hornsville sandy loam, 0 to 2 percent slopes	Gourdin	2	Flats, Marine terraces	Yes	2B3, 3
Williamsburg County, South Carolina	21	HvA	Hornsville sandy loam, 0 to 2 percent slopes	Ogeechee	2	Flats, Marine terraces	Yes	2B3
Williamsburg County, South Carolina	22	HvB	Hornsville sandy loam, 2 to 6 percent slopes	Mouzon	2	Flood plains	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Williamsburg County, South Carolina	22	HvB	Hornsville sandy loam, 2 to 6 percent slopes	Chastain	2	Flood plains	Yes	2B3
Williamsburg County, South Carolina	22	HvB	Hornsville sandy loam, 2 to 6 percent slopes	Gourdin	2	Flats, Marine terraces	Yes	2B3, 3
Williamsburg County, South Carolina	22	HvB	Hornsville sandy loam, 2 to 6 percent slopes	Ogeechee	2	Flats, Marine terraces	Yes	2B3
Williamsburg County, South Carolina	23	IzA	Izagora variant sandy loam, 0 to 2 percent slopes	Rains	2	Flats, Marine terraces	Yes	2B3
Williamsburg County, South Carolina	23	IzA	Izagora variant sandy loam, 0 to 2 percent slopes	Coxville	2	Flats, Marine terraces	Yes	2B3
Williamsburg County, South Carolina	23	IzA	Izagora variant sandy loam, 0 to 2 percent slopes	Daleville	2	Flats, Marine terraces	Yes	2B3
Williamsburg County, South Carolina	24	JoA	Johns fine sandy loam, 0 to 2 percent slopes	Rutlege	2	Flood plains	Yes	2B2, 3
Williamsburg County, South Carolina	24	JoA	Johns fine sandy loam, 0 to 2 percent slopes	Hobcaw	2	Flood plains	Yes	2B3, 3
Williamsburg County, South Carolina	24	JoA	Johns fine sandy loam, 0 to 2 percent slopes	Johnston	2	Flood plains	Yes	2B3, 3, 4
Williamsburg County, South Carolina	24	JoA	Johns fine sandy loam, 0 to 2 percent slopes	Mouzon	2	Flood plains	Yes	2B3
Williamsburg County, South Carolina	24	JoA	Johns fine sandy loam, 0 to 2 percent slopes	Ogeechee	2	Flats, Marine terraces	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Williamsburg County, South Carolina	25	Js	Johnston sandy loam, frequently flooded	Johnston	100	Flood plains	Yes	2B3, 3, 4
Williamsburg County, South Carolina	26	KeA	Kenansville sand, 0 to 2 percent slopes	Leon	2	Marine terraces	Yes	2B3
Williamsburg County, South Carolina	26	KeA	Kenansville sand, 0 to 2 percent slopes	Rutlege	2	Flood plains	Yes	2B2, 3
Williamsburg County, South Carolina	27	Le	Leon sand	Leon	100	Marine terraces	Yes	2B3
Williamsburg County, South Carolina	28	Ln	Lynchburg fine sandy loam	Paxville	2	Marine terraces	Yes	2B3, 3
Williamsburg County, South Carolina	28	Ln	Lynchburg fine sandy loam	Rains	2	Flats, Marine terraces	Yes	2B3
Williamsburg County, South Carolina	28	Ln	Lynchburg fine sandy loam	Coxville	2	Flats, Marine terraces	Yes	2B3
Williamsburg County, South Carolina	29	Ly	Lynn Haven fine sand	Lynn Haven	100	Flats, Marine terraces	Yes	2B3
Williamsburg County, South Carolina	30	MH	Mouzon and Hobcaw soils, frequently flooded	Mouzon	60	Flood plains	Yes	2B3
Williamsburg County, South Carolina	30	MH	Mouzon and Hobcaw soils, frequently flooded	Hobcaw	40	Depressions	Yes	2B3, 3
Williamsburg County, South Carolina	31	Na	Nahunta variant sandy loam	Paxville	2	Marine terraces	Yes	2B3, 3
Williamsburg County, South Carolina	31	Na	Nahunta variant sandy loam	Ogeechee	2	Flats, Marine terraces	Yes	2B3
Williamsburg County, South Carolina	31	Na	Nahunta variant sandy loam	Daleville	2	Flats, Marine terraces	Yes	2B3
Williamsburg County, South Carolina	32	NoA	Noboco loamy fine sand, 0 to 2 percent slopes	Rains	2	Flats, Marine terraces	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Williamsburg County, South Carolina	32	NoA	Noboco loamy fine sand, 0 to 2 percent slopes	Coxville	2	Flats, Marine terraces	Yes	2B3
Williamsburg County, South Carolina	33	Og	Ogeechee fine sandy loam	Ogeechee	100	Flats, Marine terraces	Yes	2B3
Williamsburg County, South Carolina	34	Px	Paxville fine sandy loam	Paxville	100	Marine terraces	Yes	2B3, 3
Williamsburg County, South Carolina	35	Ra	Rains fine sandy loam	Rains	100	Flats, Marine terraces	Yes	2B3
Williamsburg County, South Carolina	36	RsB	Rimini sand, 0 to 6 percent slopes	Leon	2	Marine terraces	Yes	2B3
Williamsburg County, South Carolina	36	RsB	Rimini sand, 0 to 6 percent slopes	Lynn Haven	2	Flats, Marine terraces	Yes	2B3
Williamsburg County, South Carolina	37	Rt	Rutlege loamy sand, ponded	Rutlege	100	Flood plains	Yes	2B2, 3
Williamsburg County, South Carolina	38	TmA	Tomahawk loamy sand, 0 to 2 percent slopes	Paxville	2	Marine terraces	Yes	2B3, 3
Williamsburg County, South Carolina	38	TmA	Tomahawk loamy sand, 0 to 2 percent slopes	Leon	2	Marine terraces	Yes	2B3
Williamsburg County, South Carolina	38	TmA	Tomahawk loamy sand, 0 to 2 percent slopes	Rutlege	2	Flood plains	Yes	2B2, 3
Williamsburg County, South Carolina	41	Wh	Wahee sandy loam	Gourdin	2	Flats, Marine terraces	Yes	2B3, 3
Williamsburg County, South Carolina	41	Wh	Wahee sandy loam	Cape Fear	2	Flats, Marine terraces	Yes	2B3
Williamsburg County, South Carolina	42	Ym	Yemassee sandy loam	Ogeechee	2	Flats, Marine terraces	Yes	2B3
York County, South Carolina	33	Cn	Congaree fine sandy loam	Wehadkee	5	Flood plains	Yes	2B3
York County, South Carolina	39	Eb	Elbert loam	Armenia	100	Interfluves	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
York County, South Carolina	105	Mn	Mixed alluvial land	Wehadkee	5	Flood plains	Yes	2B3
York County, South Carolina	106	Mw	Mixed alluvial land, wet	Wehadkee	100	Flood plains	Yes	2B3
York County, South Carolina	113	Rk	Roanoke silt loam	Roanoke	100	Stream terraces	Yes	2B3
York County, South Carolina	145	WoB	Worsham sandy loam, 2 to 6 percent slopes	Wehadkee	5	Flood plains	Yes	2B3
York County, South Carolina	146	WoC	Worsham sandy loam, 6 to 15 percent slopes	Roanoke	5	Stream terraces	Yes	2B3
Oconee County Area, South Carolina	79	Mw	Mixed wet alluvial land	Chewacla	50	Flood plains	Yes	4
Oconee County Area, South Carolina	79	Mw	Mixed wet alluvial land	Wehadkee	4	Flood plains	Yes	2B3
Oconee County Area, South Carolina	97	WoB	Worsham sandy loam, 0 to 6 percent slopes	Wehadkee	10	Flood plains	Yes	2B3
Oconee County Area, South Carolina	98	WoD2	Worsham sandy loam, 6 to 15 percent slopes, eroded	Wehadkee	5	Flood plains	Yes	2B3
Kershaw County Area, South Carolina	8	Ca	Cantey loam	Cantey	100	Marine terraces	Yes	2B3
Kershaw County Area, South Carolina	11	Ch	Chewacla loam	Pantego	3	Stream terraces	Yes	2B3
Kershaw County Area, South Carolina	11	Ch	Chewacla loam	Wehadkee	2	Flood plains	Yes	2B3
Kershaw County Area, South Carolina	13	Do	Dorovan muck	Dorovan	100	Flood plains	Yes	1, 3
Kershaw County Area, South Carolina	20	GoA	Goldsboro loamy sand, 0 to 2 percent slopes	Grady	2	Marine terraces	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Kershaw County Area, South Carolina	20	GoA	Goldsboro loamy sand, 0 to 2 percent slopes	Rains	3	Marine terraces	Yes	2B3
Kershaw County Area, South Carolina	21	Gr	Grady loam	Grady	100	Marine terraces	Yes	2B3
Kershaw County Area, South Carolina	28	Jo	Johnston loam	Johnston	100	Flood plains	Yes	2B3, 3, 4
Kershaw County Area, South Carolina	41	NoA	Norfolk loamy sand, 0 to 2 percent slopes	Grady	2	Marine terraces	Yes	2B3
Kershaw County Area, South Carolina	41	NoA	Norfolk loamy sand, 0 to 2 percent slopes	Rains	3	Marine terraces	Yes	2B3
Kershaw County Area, South Carolina	46	Pe	Pantego loam	Pantego	100	Stream terraces	Yes	2B3
Kershaw County Area, South Carolina	47	Pg	Pantego loam, overwash	Pantego	100	Flood plains	Yes	2B3
Kershaw County Area, South Carolina	48	PnA	Pelion loamy sand, 0 to 2 percent slopes	Rains	4	Marine terraces	Yes	2B3
Kershaw County Area, South Carolina	49	PnB	Pelion loamy sand, 2 to 6 percent slopes	Rains	3	Marine terraces	Yes	2B3
Kershaw County Area, South Carolina	50	PnC	Pelion loamy sand, 6 to 10 percent slopes	Rains	2	Marine terraces	Yes	2B3
Kershaw County Area, South Carolina	51	PsA	Persanti sandy loam, 0 to 2 percent slopes	Rains	4	Marine terraces	Yes	2B3
Kershaw County Area, South Carolina	54	Ra	Rains sandy loam	Rains	100	Marine terraces	Yes	2B3
Kershaw County Area, South Carolina	58	Tc	Toccoa-Cartecay complex	Wehadkee	5	Flood plains	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydraulic rating	hydraulic criteria
Kershaw County Area, South Carolina	64	We	Wehadkee silt loam	Wehadkee	100	Flood plains	Yes	2B3
Aiken County Area, South Carolina	2	Ba	Bayboro clay loam	Bayboro	100	Marine terraces	Yes	2B3
Aiken County Area, South Carolina	3	Bb	Bethera clay loam	Bethera	90	Marine terraces	Yes	2B3, 3
Aiken County Area, South Carolina	3	Bb	Bethera clay loam	Johnston	2	Flood plains	Yes	2B3, 3, 4
Aiken County Area, South Carolina	4	Bc	Bibb loamy sand	Bibb	100	Flood plains	Yes	2B3
Aiken County Area, South Carolina	6	Da	Dasher mucky peat	Dasher	95	Flood plains	Yes	1, 3
Aiken County Area, South Carolina	6	Da	Dasher mucky peat	Johnston	2	Flood plains	Yes	2B3, 3, 4
Aiken County Area, South Carolina	24	Jo	Johnston mucky loam	Johnston	100	Flood plains	Yes	2B3, 3, 4
Aiken County Area, South Carolina	26	LaD	Lakeland sand, 6 to 15 percent slopes	Johnston	1	Flood plains	Yes	2B3, 3, 4
Aiken County Area, South Carolina	27	LaE	Lakeland sand, 15 to 25 percent slopes	Johnston	1	Flood plains	Yes	2B3, 3, 4
Aiken County Area, South Carolina	34	Og	Ogeechee sandy loam	Ogeechee	90	Marine terraces	Yes	2B3
Aiken County Area, South Carolina	34	Og	Ogeechee sandy loam	Rembert	5	Marine terraces	Yes	2B3, 3
Aiken County Area, South Carolina	41	Re	Rembert loam	Rembert	90	Marine terraces	Yes	2B3, 3
Aiken County Area, South Carolina	41	Re	Rembert loam	Ogeechee	5	Marine terraces	Yes	2B3
Aiken County Area, South Carolina	44	TrB	Troup sand, 0 to 6 percent slopes	Johnston	2	Flood plains	Yes	2B3, 3, 4
Aiken County Area, South Carolina	45	TrC	Troup sand, 6 to 10 percent slopes	Johnston	5	Flood plains	Yes	2B3, 3, 4

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydric rating	hydric criteria
Aiken County Area, South Carolina	46	TrE	Troup sand, 10 to 25 percent slopes	Johnston	5	Flood plains	Yes	2B3, 3, 4
Aiken County Area, South Carolina	49	VcD	Vaucluse-Ailey complex, 6 to 15 percent slopes	Johnston	2	Flood plains	Yes	2B3, 3, 4
Aiken County Area, South Carolina	50	VcE	Vaucluse-Ailey complex, 15 to 25 percent slopes	Johnston	2	Flood plains	Yes	2B3, 3, 4
Aiken County Area, South Carolina	54	Wm	Williman sand	Williman	100	Marine terraces	Yes	2B1
Barnwell County, South Carolina, Eastern Part	8	Db	Dunbar sandy loam	Lumbee	2	Depressions	Yes	2B3
Barnwell County, South Carolina, Eastern Part	8	Db	Dunbar sandy loam	McColl	2	Depressions	Yes	2B3, 3
Barnwell County, South Carolina, Eastern Part	8	Db	Dunbar sandy loam	Rembert	2	Depressions	Yes	2B3, 3
Barnwell County, South Carolina, Eastern Part	9	DpA	Duplin sandy loam, 0 to 2 percent slopes	McColl	2	Depressions	Yes	2B3, 3
Barnwell County, South Carolina, Eastern Part	9	DpA	Duplin sandy loam, 0 to 2 percent slopes	Rembert	2	Depressions	Yes	2B3, 3
Barnwell County, South Carolina, Eastern Part	15	JO	Johnston soils, frequently flooded	Johnston	100	Flood plains	Yes	2B3, 3, 4
Barnwell County, South Carolina, Eastern Part	18	Lu	Lumbee loamy sand	Lumbee	100	Depressions	Yes	2B3
Barnwell County, South Carolina, Eastern Part	19	Mc	McColl loam	McColl	100	Depressions	Yes	2B3, 3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Barnwell County, South Carolina, Eastern Part	23	Pe	Pelham sand	Rembert	5	Depressions	Yes	2B3, 3
Barnwell County, South Carolina, Eastern Part	24	Pu	Plummer loamy sand	Plummer	100	Depressions	Yes	2B3
Barnwell County, South Carolina, Eastern Part	25	Re	Rembert loam	Rembert	100	Depressions	Yes	2B3, 3
Charleston County Area, South Carolina	0	Bc	Bayboro	Brookman	100	Depressions	Yes	2B3
Charleston County Area, South Carolina	1	Cf	Cape Fear loam	Cape Fear	100	Depressions	Yes	2B3
Charleston County Area, South Carolina	2	Cg	Capers silty clay loam	Capers	100	Marshes	Yes	2B3, 3
Charleston County Area, South Carolina	3	Ch	Charleston loamy fine sand	Yonges	3	Marine terraces	Yes	2B3
Charleston County Area, South Carolina	4	Ck	Chastain soils	Chastain	100	Flood plains	Yes	2B3
Charleston County Area, South Carolina	5	Cm	Chiplely loamy fine sand	Rutlege	3	Depressions	Yes	2B2
Charleston County Area, South Carolina	6	Co	Coastal beaches and dune land	Beaches	60	Beaches	Yes	4
Charleston County Area, South Carolina	7	Cr	Craven fine sandy loam	Ogeechee	3	Marine terraces	Yes	2B3
Charleston County Area, South Carolina	8	CvC	Crevasse-Dawhoo complex, rolling	Rutlege	40	Depressions	Yes	2B2
Charleston County Area, South Carolina	8	CvC	Crevasse-Dawhoo complex, rolling	Lynn Haven	5	Marine terraces	Yes	2B3
Charleston County Area, South Carolina	9	Da	Dawhoo and rutlege loamy fine sand	Rutlege	100	Depressions	Yes	2B2

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydraulic rating	hydraulic criteria
Charleston County Area, South Carolina	10	DdA	Dunbar and ardilla fine sandy loams, 0 to 2 percent slopes	Ogeechee	3	Marine terraces	Yes	2B3
Charleston County Area, South Carolina	13	HoA	Hockley loamy fine sand, 0 to 2 percent slopes	Yonges	2	Marine terraces	Yes	2B3
Charleston County Area, South Carolina	13	HoA	Hockley loamy fine sand, 0 to 2 percent slopes	Mouzon	2	Flood plains	Yes	2B3
Charleston County Area, South Carolina	13	HoA	Hockley loamy fine sand, 0 to 2 percent slopes	Nakina	2	Marine terraces	Yes	2B3
Charleston County Area, South Carolina	15	Ka	Kiawah loamy fine sand	Rutlege	3	Depressions	Yes	2B2
Charleston County Area, South Carolina	16	LaB	Lakeland sand, 0 to 6 percent slopes	Lynn Haven	2	Marine terraces	Yes	2B3
Charleston County Area, South Carolina	16	LaB	Lakeland sand, 0 to 6 percent slopes	Rutlege	2	Depressions	Yes	2B2
Charleston County Area, South Carolina	17	Le	Leon fine sand	Leon	100	Depressions	Yes	2B3
Charleston County Area, South Carolina	19	Me	Meggett clay loam	Mouzon	100	Flood plains	Yes	2B3
Charleston County Area, South Carolina	20	Mg	Meggett loam	Mouzon	100	Flood plains	Yes	2B3
Charleston County Area, South Carolina	21	Mp	Mine pits and dumps	Pits	40		Yes	2B3, 3
Charleston County Area, South Carolina	22	My	Myatt loam	Daleville	100	Marine terraces	Yes	2B3
Charleston County Area, South Carolina	23	NdA	Norfolk and dothan soils, 0 to 2 percent slopes	Daleville	3	Marine terraces	Yes	2B3
Charleston County Area, South Carolina	26	Os	Osier fine sand	Osier	97	Marine terraces	Yes	2B2

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Charleston County Area, South Carolina	26	Os	Osier fine sand	Rutlege	3	Depressions	Yes	2B2
Charleston County Area, South Carolina	27	Pa	Pamlico muck	Pamlico	97	Flood plains	Yes	1, 3
Charleston County Area, South Carolina	27	Pa	Pamlico muck	Rutlege	3	Depressions	Yes	2B2
Charleston County Area, South Carolina	28	Po	Portsmouth fine sandy loam	Hobcaw	100	Flood plains	Yes	2B3, 3
Charleston County Area, South Carolina	29	Qu	Quitman loamy sand	Daleville	2	Marine terraces	Yes	2B3
Charleston County Area, South Carolina	29	Qu	Quitman loamy sand	Rutlege	2	Depressions	Yes	2B2
Charleston County Area, South Carolina	30	Ra	Rains sandy loam	Ogeechee	100	Marine terraces	Yes	2B3
Charleston County Area, South Carolina	31	Rg	Rutlege loamy fine sand	Rutlege	100	Marine terraces	Yes	2B2, 3
Charleston County Area, South Carolina	32	Rp	Rutlege-Pamlico complex	Pamlico	50	Flood plains	Yes	1
Charleston County Area, South Carolina	32	Rp	Rutlege-Pamlico complex	Rutlege	50	Marine terraces	Yes	2B2, 3
Charleston County Area, South Carolina	33	Sa	St. Johns fine sand	Lynn Haven	100	Marine terraces	Yes	2B3
Charleston County Area, South Carolina	34	Sc	Santee clay loam	Brookman	100	Flood plains	Yes	2B3
Charleston County Area, South Carolina	35	Se	Santee loam	Brookman	100	Flood plains	Yes	2B3
Charleston County Area, South Carolina	36	Sf	Scranton loamy fine sand	Rutlege	4	Depressions	Yes	2B2
Charleston County Area, South Carolina	37	Sk	Seabrook loamy fine sand	Rutlege	3	Depressions	Yes	2B2
Charleston County Area, South Carolina	38	Sm	Seewee complex	Rutlege	3	Depressions	Yes	2B2
Charleston County Area, South Carolina	39	St	Stono fine sandy loam	Nakina	100	Marine terraces	Yes	2B3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Charleston County Area, South Carolina	40	Tf	Tidal marsh, firm	Capers	100	Marshes	Yes	2B3, 3
Charleston County Area, South Carolina	41	Ts	Tidal marsh, soft	Bohicket	100	Marshes	Yes	2B3, 3
Charleston County Area, South Carolina	42	UR	Urban land-Yauhannah-Yemassee-Ogeechee association	Ogeechee	15	Marine terraces	Yes	2B3
Charleston County Area, South Carolina	44	Wa	Wadmalaw fine sandy loam	Wadmalaw	100	Marine terraces	Yes	2B3, 3
Charleston County Area, South Carolina	46	WnB	Wando loamy fine sand, 0 to 6 percent slopes	Rutlege	3	Depressions	Yes	2B2
Charleston County Area, South Carolina	48	Yo	Yonges loamy fine sand	Yonges	100	Marine terraces	Yes	2B3
Savannah River Plant Area	1	AnB	Albany loamy sand, 0 to 6 percent slopes	Pickney	2	Flood plains	Yes	2B2, 3, 4
Savannah River Plant Area	1	AnB	Albany loamy sand, 0 to 6 percent slopes	Williman	2	Marine terraces	Yes	2B1
Savannah River Plant Area	4	Ch	Chastain clay, frequently flooded	Chastain	100	Flood plains	Yes	2B3
Savannah River Plant Area	5	Da	Dorovan muck, frequently flooded	Dorovan	100	Flood plains	Yes	1, 3
Savannah River Plant Area	8	EnA	Eunola fine sandy loam, 0 to 2 percent slopes	Williman	2	Marine terraces	Yes	2B1
Savannah River Plant Area	9	Fa	Fluvaquents, frequently flooded	Fluvaquents	100	Flood plains	Yes	4
Savannah River Plant Area	13	HoA	Hornsville fine sandy loam, 0 to 2 percent slopes	Rembert	2	Marine terraces	Yes	2B3, 3

area name	map unit seq	map unit symbol	map unit name	component name and phase	representative percent composition	landforms	hydic rating	hydic criteria
Savannah River Plant Area	14	Kn	Kinston loam, frequently flooded	Kinston	95	Flood plains	Yes	2B2
Savannah River Plant Area	24	OcA	Ocilla loamy sand, 0 to 2 percent slopes	Pickney	3	Flood plains	Yes	2B2, 3, 4
Savannah River Plant Area	25	Og	Ogeechee sandy loam, ponded	Ogeechee	100	Marine terraces	Yes	2B3
Savannah River Plant Area	29	Pk	Pickney sand, frequently flooded	Pickney	100	Flood plains	Yes	2B2, 3, 4
Savannah River Plant Area	30	Rm	Rembert sandy loam	Rembert	100	Marine terraces	Yes	2B3, 3
Savannah River Plant Area	31	Sh	Shellbluff loam, frequently flooded	Chastain	4	Flood plains	Yes	2B3
Savannah River Plant Area	32	Sm	Smithboro loam	Rembert	2	Marine terraces	Yes	2B3, 3
Savannah River Plant Area	33	Ta	Tawcaw silty clay, frequently flooded	Tawcaw	95	Flood plains	Yes	4
Savannah River Plant Area	33	Ta	Tawcaw silty clay, frequently flooded	Pickney	2	Flood plains	Yes	2B2, 3, 4
Savannah River Plant Area	33	Ta	Tawcaw silty clay, frequently flooded	Kinston	2	Flood plains	Yes	2B2
Savannah River Plant Area	34	To	Toccoa loam, frequently flooded	Chastain	2	Flood plains	Yes	2B3
Savannah River Plant Area	50	Wm	Williman sand	Williman	100	Marine terraces	Yes	2B1